


1 LOCATION OF WATER WELL: Fraction 1/4 Center NW 1/4 Section Number 4 Township Number T 30 S Range Number R 29 E/W
 County: Meade

Distance and direction from nearest town or city street address of well if located within city?
1/4 south, 7 miles east, 3 1/2 miles south, 1/4 east, 1/4 North of Copeland

2 WATER WELL OWNER: Lois Johnson (Danny Koehn)
 RR#, St. Address, Box # : 3380 Yarrow Street Board of Agriculture, Division of Water Resources
 City, State, ZIP Code : Wheat Ridge, Colorado 80033 Application Number: 14554

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL 365 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1 240 ft. 2 282 ft. 3 353 ft.
 WELL'S STATIC WATER LEVEL 222 ft. below land surface measured on mo/day/yr 4-17-06
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield 1,000 gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X & Clipped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 2 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing diameter 1.6 in. to 285 ft., Dia in. to 325-345 Dia in. to ft.
 Casing height above land surface 1.2 in., weight lbs./ft. Wall thickness or gauge No. SDR26
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-Cement
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify)
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From 365-345 Agri Screen ft., From 325-385 PVC ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 20 ft. to 365 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 20-16 Bentonite ft., From 16-0 Cement ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	30	Topsoil & clay & little lime	199	240	Sand
30	45	Clay & little fine sand	240	255	Sand & 1' clay
45	60	Clay & fine sand	255	270	Sand (coarse) & little cem. s
60	67	Clay	270	271	Sand (coarse)
67	105	Sand	271	282	Clay & little lime (hard)
105	120	Sand & clay	282	285	Sand
120	135	Sand & clay	285	300	Sand (tight & coarse)
135	150	Sand & 3' clay	300	315	Sand (little tight)
150	165	Sand & 2' clay	315	320	Sand (little tight)
165	180	Sand & clay	320	330	Clay & little lime (hard)
180	184	Sand	330	353	Clay & little lime (hard)
184	185	Cemented sand (very hard)	353	363	Sand
185	195	Clay (little blue) & lime	363	373	Cemented sand & little clay
195	199	Clay & little lime	373	375	Clay

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-17-07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 223. This Water Well Record was completed on (mo/day/yr) 4-30-07 under the business name of Dunham Drilling Inc. by (signature) Karen Dunham