1 LOCATION OF WATER WELL:	FRACTION	water well kecord	Form WWC-3	Section Number	Township Number	Range Number
ے ن	l	NE 1/4 SE	, "1	33	1 '	214
Sumner			1/4		т 30 в	R 3W E/W
Distance and direction frem nearest town or city street address of well if located within city?						
205 W. Ft. Scott		ay Springs	, Kan	sas		
	k, Keith					
	Ft. Sco				Board of Agriculture, I	Divivsion of Water Resource
	Springs				Application Numb	er:
	DEPTH OF COM	HUJED WELL	71	ft. EL	EVATION:	
AN "X" IN SECTION BOX:	Depth(s) groundwa	nter Encountered	1	ft.	ft.	, ft.
	LL'S STATIC W	ATER LEVEL 5	FT.	BELOW LAND SO	RFACE MEASURED ON mo/day/yr	06/26/1996
NWNE	Pump test	data: Well wa	ter was	ft.	after hours pur	np in g gpm
Est.	Yield	gpm: Well wa	ter was	ft.	after hours pun	nping gpm
E Bor	e Hole Diameter 4	inknown in. to)	ft.	and in.	to ft.
	LL WATER TO E	BE USED AS: 51	Public water	r supply	8 Air conditioning 11	Injection well
X Sw X	1 Domestic	3 Feedlot 6	Oil field wa	ter supply	9 Dewatering 12	Other (Specify below)
	2 Irrigation	4 Industrial 7	Lawn and g	arden only	10 Monitoring well	
	s a chemical/bacte	riological sample subi	nitted to De	partment? Yes	No 🗶 ; If yes, 1	no/day/yr sample was
S	bmitted			Wa	nter Well Disinfected? Yes	X No
5 TYPE OF CASING USED:		5 Wrought iron	8	Concrete tile	CASING JOINTS:	Glued Clamped
1 Steel 3 RMP (SR)		6 Asbestos-Cement	9	Other (Specify l	below)	Welded
2 PVC 4 ABS		7 Fiberglass				Threaded
Blank casing Diameter 5 in.	to	ft., Dia	in.	to	ft., Dia in.	to ft.
Casing height above the outland	in.,	weight		lbs. / ft.	Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATIO		6***	7	PVC	10 Asbestos-cen	nent
1 Steel 3 Stainless Steel		5 Fiberglass	8	RMP (SR)	11 other (specif	^(y) N/A
2 Brass 4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (c	M/A
SCREEN OR PERFORATION OPENIN	IG ARE:	5 Canza	l wranned		8 Saw cut	11 None (open hole)
1 Continous slot 3 Mill slot		5 Gauzed wrapped 6 Wire wrapped			9 Drilled holes	
2 Louvered shutter 4 Key punch					/3	
	_	7 Torch o			, , , , ,	I/A
SCREEN-PERFORATION INTERVAL		ft. t	0	ft., Froi	n ft. to	ft.
	from	ft. t		ft., From		ft.
GRAVEL PACK INTERVALS: from		ft. to		ft., Fro		
Janaura	from	ft. 1		ft., Fro	·····	ft.
6 GROUT MATERIAL: 1 Neat cem		ement grout		ntonite	4 Other	
	. to 4	ft. From	ft.		ft. From	ft. to ft.
What is the nearest source of possible con		7 Dis		10 Livest		Abandon water well
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel s		Oil well/Gas well
2 Sewer lines 5 Cess pool		12 1			tilizer storage 16 Other (specify below)	
3 watertight sewer lines 6 Seepage pit 9 reedyard						
Direction from well? West	1101 0010 0		T	·	How many feet? 10	TOTAL O
FROM TO LIT	HOLOGIC LOG	·	FROM	TO	PLUGGING INT	ERVALS
			<u> </u>	4	cement grout	
			4	8	bentonite hole	
			8	71	chlorinated sa	nd and gravel
		·				
	V.V.				44-	
				1		
7						
7 CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION: Th	nis water well was (1) construc	ted, (2) reconst	tructed, or (3) plugged under	my jurisdiction and
was completed on (mo/day/year)	<u>06/26/</u>	1996	and this re	cord is true to	the best of my knowledge ar	nd belief. Kansas Water
was completed on (mo/day/year) Well Contractor's License No2	06/26/ 36	1996 This Water Well Re	and this re cord was	cord is true to completed on (the best of my knowledge ar mo/day/yr)Ω6./	nd belief. Kansas Water
was completed on (mo/day/year)	06/26/ 36	1996 This Water Well Re	and this re cord was	cord is true to completed on (the best of my knowledge ar mo/day/yr)	nd belief. Kansas Water