CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Sumher Location changed to:
Section-Township-Range: $34-335-3 \omega$	33-305-3W
Fraction (1/4 1/4 1/4):	NE SE SE
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Well address, city n Conway Springs 1:24,000 top	rap on juternet, and
Conway Springs 1:24,000 top	so map.
	initials: DRL date: 3/23/2005

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

	WATER WELL REC	ORD Form WWC-5	KSA 82a-1	212 ID No.		
1 LOCATION OF WATER WELL County: Seawyck	Fraction 1/4	SW 1/4 SW	Sec.	tion Number	Township Numbe	Range Number
Distance and direction from peare	st town or city street a	address of well if located	within city?	Sonna	c, Ks	
2 WATER WELL OWNER: 13	ob mack	car wash	-	-p. a m	3 1	
RR#, St. Address, Box # : 21 City, State, ZIP Code : 21	5 N 5 19	stinas Ks	67031		Board of Agricult Application Numl	ure, Division of Water Resource per:
3 LOCATE WELL'S LOCATION W		OMPLETED WELL	80			
AN "X" IN SECTION BOX: N						. ft. 3 ft. yr
						purs pumping gpn
NW NE						ours pumping gpn
1 1	1 Domestic		Public water s Dil field water	,	•	11 Injection well12 Other (Specify below)
W 1 1	E 2 Irrigation	4 Industrial 7	Domestic (law	n & garden 10	Monitoring well	
	Was a chemica mitted	l/bacteriological sample	submitted to D		s; If yer Well Disinfected? Ye	ves, mo/day/yrs sample was sub es No
5 TYPE OF BLANK CASING US	SFD:	5 Wrought iron	8 Concre	te tile	CASING JOINTS:	Glued Clamped
	P (SR)	6 Asbestos-Cement		specify below)	CASING COINTO.	Welded
4 ABS		7 Fiberglass				Threaded
Blank casing diameter Casing height above land surface						in. toft
TYPE OF SCREEN OR PERFOR	•		7/PV	_	10 Asbestos	
1 Steel 3 Sta	inless Steel vanized Steel	5 Fiberglass 6 Concrete tile	8 RM 9 AB	SR)	11 Other (Sp	pecify) ed (open hole)
SCREEN OR PERFORATION OF			ed wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot	Mill slot		wrapped	4	9 Drilled holes	ft
2 Louvered shutter	4 Key punched	40	80			
SCREEN-PERFORATED INTERV		ft. to ft. to	<u> </u>	π., From ft., From		. ft. toft . ft. toft
GRAVEL PACK INTER\	'ALS: From	244ft. to	9 0	ft., From		ft. to
	From	π. 10		π., From		.ft. toft
6 GROUT MATERIAL: 1	Neat cement	2 Cement grout	3 Bento			
_		ft., From	ft. to			ft. toft
What is the nearest source of pos 1 Septic tank 4	Lateral lines	7 Pit privy		10 Livestoo	•	14 Abandoned water well15 Oil well/Gas well
·	Cess pool	8 Sewage	agoon	12 Fertilize	3	16 Other (specify below)
	Seepage pit	9 Feedyard		13 Insectici	-	
	nth			How many		
FROM TO	LITHOLOGIC		FROM	ТО	PLUGGI	NG INTERVALS
a 17 Sa	Day 10	p Soil				
17 23 EIN	(E Sara					
17 23 EIN	Cleui					
41 77 BH	e Shale					
77 80 Re	d Shale	•				
	PATRICIAL SECTION AND ADDRESS OF THE PATRICIAL S					***************************************
	, - V					
7						
$\frac{7}{2}$ CONTRACTOR'S OR LANDO completed on (mo/day/year) 2	WNER'S CERTIFICAT					
Water Well Contractor's Licence N	· Leli	This Water		vas completed o	on (mo/day/yr) <i>9</i>	my nowledge and belief. Kansa
under the business name of	lase Ur	illing			gnature) 🕠 - 🕧	ase
INSTRUCTIONS: Use typewriter or ball p and Environment, Bureau of Water, Geolo records. Fee of \$5.00 for each constructe	gy Section, 1000 SW Jackson					