WATER WELL RECORD			Form W	WC-5	Division of Wate	r Resources App. N	o. L	
Coun	1 LOCATION OF WATER WELL: County: Sumner		Fraction 1/4 SE 1/4 SE	E 1/4 SW 1/4	Section Number 15	Township No. T 30 S	Range Number R 3 □E ☑W	
Street	t/Rural Address	of Well Location	; if unknown, distance	Global Positioning	System (GPS) in			
from	from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)		
962	962 W. 120th				Longitude: (in decimal degrees)			
Conv	Conway Springs, KS 67031					Elevation:		
2 WAT	TER WELL O	WNER: Brian	Decamp	Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:] NAD 27	
	RR#, Street Address, Box #: 2003 N. Valley View				GPS unit (Make/Model:)			
			ta, KS 67212	S 67212 Digital Map/Photo, Topographic Map, La				
		77107111			Est. Accuracy: -	3 m, □ 3-5 m, □] 5-15 m, □>15 m	
	ATE WELL	4 DEDTH OF	E COMDITUED WEL	. 80	Ω			
	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL .80 ft. ft.							
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1).20							
	Pump test data: Well water wasft. afterhours pumping							
'	V NE	EST. YIELD.	.15gpm. Well wate	gpm. Well water wasft. after hours pumpinggpm				
w NW	(NE E	Bore Hole Dia	meterin. to .	eterft., andft.				
		WELL WATE	ER TO BE USED AS: [TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well				
sw	/ SE	✓ Domestic	☐ Feedlot ☐			ewatering	Other (Specify below)	
□ X □ □ Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well								
	S					Yes V No		
	1 mile	Wester well die	io/day/yr sample was su sinfected? 📝 Yes 🔲	bmitted	•••••			
	<u>'</u>							
	OF CASING		eel V PVC	Other		••••		
CASING	JJOINTS: 🛂	Glued \square Cl	amped Welded	☐ Threaded				
Casing diameter .5 in. to .40 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface. 12 in., Weight 2.5 lbs./ft., Wall thickness or gauge No. SDR26 TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)								
From								
GRAVEL PACK INTERVALS: From								
From. ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Int	tervals: Fror	n .3 ft.	to .20 ft., From	n	ft. to ft.,	From	ft. toft.	
	the nearest source	ce of possible co	ntamination:	_	_			
Septic tank								
Sewer lines								
Direc	tion from well.	🗀 ceepag		. Distance	from well			
FROM	TO		OGIC LOG	FROM			JGGING INTERVALS	
	30 Clay							
30	80 Shale	-	154					
-								
<u> </u>								
 								
				-				
			Palman William Control	-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .9/30/.11 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No238 This Water Well Record was completed on (mo/day/year) 10/3/11								
under the business name of Premier Pump & Well Service Inc. by (signature) by (signature) by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								