WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. No		
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township No.	Range Number	
County: Summer	1/4 N W 1/4 N W 1/4 N W 1/4	27	T 308	R 3 DE ZW	
Street/Rural Address of Well Location; if unknown, distance & direction   Global Positioning System (GPS) information:					
from nearest town or intersection: If at owner's address, check here . Latitude:					
Elevation:					
0	0.0	Datum: WGS 84	4, □ NAD 83, □	NAD 27	
2 WATER WELL OWNER: Kynn Cook RR#, Street Address, Box #: 1998 N Conway Sping City, State, ZIP Code: City, State, ZIP Code: Conway Sping Ko Est. Accuracy:   <3 m,   3-5 m,   5-15 m,   >15 m					
RR#, Street Address, Box #: 1998 /V Con Way 4 GPS unit (Make/Model:					
City, State, ZIP Code: Digital Map/Photo, Diopographic Map, Land Survey  Fist Accuracy: $\square < 3 \text{ m} \square 3-5 \text{ m} \square 5-15 \text{ m} \square > 15 \text{ m}$					
3 LOCATE WELL	my sporty 10	LOUI I COURTED Y.	, <u> </u>		
WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL			_	
SECTION BOX: Depth(s) Groun					
N WELL'S STATIC WATER LEVEL					
l l rem viter o	onm Well water was	ft after	hours pump	ninggpiii	
EST. YIELD 5 gpm. Well water was					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
Sw SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
Irrigation Industrial Domestic-lawn & garden Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
Water went distinceted: [A] 103					
5 TYPE OF CASING USED: Steel VVC Other					
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter					
Casing theight above land surface	in Weight 160	lhs /ft Wall this	ckness or gauge No	26	
Casing height above land surface					
Steel Stainless Steel PVC Other (Specify)					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter					
SCREEN-PERFORATED INTERVALS: From. ft. to ft., From ft. to ft.  From. 70 ft. to ft., From ft. to ft.					
Fromft. to					
GRAVEL PACK INTERVALS: From					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
What is the nearest source of possible contamination:					
Septic tank  Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
Watertight sewer lines Seepage		storage Ll Oil well/ga from well	A X A A A A A A A A A A A A A A A A A A		
Direction from well   FROM   TO   LITHOLOG				IGGING INTERVALS	
		IO DITTO, L	oo com, or inc		
	C Ocean				
	sand				
	hale				
48 34 Red S	Stale				
99 120 Red 5	Tabe				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged					
under my jurisdiction and was completed on (mo/day/year) . 5.7.2. and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's Ligense No P This Water Well Record was completed on (mo/day/year)					
under the business name of					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					