USE TYPEWRITER OR BALL POINT PEN-BALLSTERMENT PRINT CLEARLY

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

733						ı
P. CTANESCON STATE OF	Fraction			Township number	Range number	
1. Section open 1	SW 1/4 N W 1/N/W 1/4	3	4	$\int_{\Gamma} 30$ s	1 311/FM	
1	500 500 500		<u> </u>			
2. Describe and directly than neares from or city: N	ORTH EDGE CAS. ON	ner of wel	:	4DE HUNI		
Street address tive to contain in city:	ASTSIDE OF RIK. OF	r street:			المصافح المسائد	_
HIBBY -IST house ON	LEPT AFTER City, s	tate, zip	code:	ONWAY SPR	INGS, KANSA	5
Street and staff (well scatter) Lin city: HICKER City, state, zip code: 4. Locate with "X" in section below: CROST NOSetch Rep. R. TRACKS. N CONNEY SPRINGS, KANSAS				6. Bore hole dia in. Completion date		
N CONNAY SPRINGS, KANSAS				Well depthft.	10-1-14	
	•			7 Cable tool 🖳 Rotary	Driven Dug	
				Hollow rod Jetted	Bored Reverse rotary	
1' 1 1 1 1				8. Use: Domestic Pu	ublic supply Industry	
				Irrigation Air conditioning Stock		
[Lawn Oil field water Other		
SW SE				9. Casing: Materia TUP	CALGET: Obove or below	
				Threaded Welded	Surface 12in.	
S				RMPPVC	Weightlbs./ft.	
ı→ 1 Mile → I				Dia 5 in. to 81 ft. dep	th!Wall Thickness: inches or	
5. Type and color of material		From	То	Dia in. to ft. dep		
		+		10. Screen: Manyfacturer's r	DI AST	
SANDU SOIL		0	2	Type STURENE		
7		10		Sla gauze 06	_ Dia	
CLAU		12	18	Set between 21	ft. and 8/ ft.	1
2-14-1-		0	01	ft. a	and ft-	.
KED SHALE		8	81	Gravel pack? 45 Size ra	nge of material 124-1	B ~
				11. Static water level:	mo./day/yr.]_
			—	ft. below land sur	face Date 10-1-74	5
				12. Pumping level below land		
		<u> </u>	-	ft. after	hrs. pumping g.p.m.	
				ft. after	hrs. pumpingg.p.m.	
				Estimated maximum yield	g.p.m.	1
				13. Water sample submitted:		
				Yes No	Date	4
			- 	14. Well head completion:	17	
		İ		Pitless adapter	12 Inches above grade	-
		+	 	15. Well grouted?		 ω
			With: Neat cement Depth: From	Bentonite Concrete	1-12	
				Depin; From 2.2 4. 10		10
				ft. 3 Direction	e contamination: SEPTIE	t i
				Well disinfected upon comple	·	1
		+		17. Pump:	Not installed	1
				Manufacturer's name 57	A-RITE	, Γίω
				Model number 20P4CO	1/ HP 1/2 Volts 110	1 '
				Length of drop pipe	tt. capacity 20g.p.m.	⊗}⊸
1				Туру		`
				Submersible	Turbine	1/
				Jet	Reciprocating	~ W
	I sheet if needed)		<u></u>	Centrifugal	Other	1, 10
18. Elevation: 19. Remarks:				20. Water well contractor's		
FLAT GIR	ZOUND				ny jurisdiction and this report	
Topography:				is true to the best of my know	Fruma 124	1 × S
Hill				Business name	License No.	1-16
Slope				Address WICHIT	A, NANSAS	
Upland				Signed M. Oken	old Date	7
Valley				Authorized rep	presentative 11-6-71	₹ 5
					- VAVC 5	6