

W	_		RECORD		WWC-5 1226	D.	vision of Wa					
1	Original Record Correction Change in Weight of the second se				Fraction							
I	County:							bel	T S	R R	$\Box E \Box W$	
2		OWNER: 1			Street or Rural Address where well is located (if unknown, distance and							
-	Business:					lirection from nearest town or intersection): If at owner's address, check here:						
	Address:	Iress:										
	Address: City:			State:	ZIP:							
3	LOCAT	E WELL										
-	WITH "				IPLETED WELL: .		5 Latitude:(decimal degrees)					
	SECTIO			Depth(s) Groundwater Encountered: 1) 2)				Longitude:(decimal degrees) Datum: WGS 84 NAD 83 NAD 27				
	Ν	1				ER LEVEL: ft.			Source for Latitude/Longitude:			
		X	below la	below land surface, measured on (mo-day-yr)					unit make/model:)	
	NW	NE		above land surface, measured on (mo-day-yr)					(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map ☐ Online Mapper:			
			~	Pump test data: Well water was ft.								
W		E	alter	after hours pumping gpm Well water was ft.								
	SW	SE	after	s pumping								
				Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC				
		S	Bore Hole D	ore Hole Diameter: in. to			<u>Sour</u>		<u>e</u> : □ Land Survey □ GPS □ Topographic Map □ Other			
	1 n				in. to							
	7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
	□ Housel				g: how many wells?							
	Lawn & Garden 7. Aquifer Recharge: well ID								Uncased G			
	Livestock 8. Monitoring: well ID						12. Geo	therm	al: how many bores?	?		
	☐ Irrigation 9. Environmental Remediation: well ID								Loop 🔲 Horizonta			
	☐ Feedlo			Air Sparge	-		b) Open Loop Surface Discharge Inj. of Water					
	4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:												
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter ft., Diameter ft., Diameter ft., Diameter ft., Diameter ft., Diameter												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)												
Brass Galvanized Steel Concrete tile None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Torch Cut □ Drined Holes □ Other (Specify)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
					ft., From	ft. to	ft., Fron	n	ft. to	ft.		
	arest sou	-	le contaminati	o n: Lateral Line	es 🗌 Pit Privy	Г] Livestock F	Pens	☐ Insectici	de Storage		
	Sewer I			Cess Pool	Sewage Lag		Fuel Storag				Well	
	Waterti	ght Sewer Li			E Feedyard	Ē	Fertilizer S					
	🗌 Other (Specify)							-			
	rection fro FROM	m well? TO		ITHOLOG	Distance from we	FROM			ft. HO. LOG (cont.) or I	DLUCCIN	CINTEDVALS	
10	FROM	10	<u> </u>	IIIIOLOG	JIC LUG	FKOM	10	LII	HO. LOG (cont.) of I	PLUGGIN	JINTERVALS	
								1				
						NI - 4 -						
		Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.												
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)												
under the business name of												
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											