KOLAR Document ID: 1547542

	WELL R	ECORD Correction		WWC-5 e in Well Use			ivision of Wat sources App. 1			 Well ID	
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction					PP.			inge Number			
County				1/4 1/4	1/4			.	T S	R	□ E □ W
county.					Street or R	eet or Rural Address where well is located (if unknown, distance and					
							rsection): If at owner				
Address:									,		,
Address:											
City:		T	State:	ZIP:							
3 LOCATI		4 DEPTH	OF COV	IPLETED WI	ELL:		ft 5 Latit	nde.			(decimal degrees)
WITH "S				Encountered: 1)					le:		
SECTIO N				3) ft.,					WGS 84 □ NAI		
	<u> </u>			TER LEVEL:							
	below land surface, measured on (mo-day-			-yr)	GPS (unit make/model:)		
NW	NE			measured on (n			(WAAS enabled? ☐ Yes ☐ No)				
	1	_			as ft.			☐ Land Survey ☐ Topographic Map			
w	E	after		s pumping							
X - SW	SE	-6		vater was							
	1	Estimated Y		s pumping	• • • • • • • • • • • • • • • • • • • •	gpm 6 Elevation:ft. ☐ Grou			. Groun	nd Level □ TOC	
				gpm in. to		ft and		Source:			
1 m	-	Bote Hote I		in. to			Code and				
	VATER TO	BE USED A					I				
1. Domestic:				ter Supply: wel	1 ID		. 10. □ 0	il Fie	eld Water Supply: 16	ease	
☐ Househ				g: how many w							
☐ Lawn &				echarge: well II							
☐ Livesto	ock			g: well ID					al: how many bores		
2. Irrigation	on			al Remediation:							
3. Feedlot			Air Sparge		_	Extraction					
4. Industr	ial		Recovery	☐ Injec	tion		13. 🔲 O	ther	(specify):		
Was a cher	nical/bacter	iological san	nple subm	itted to KDH	E ? □	Yes No	If yes, dat	e sai	mple was submitte	d:	
	disinfected?						•		•		
8 TYPE O	F CASING	USED: □ S	teel PV	C □ Other		CAS	ING JOINTS	S: [Glued Clamped	l ∏ Weld	ed Threaded
									in. to		
	t above land s					lbs./ft			s or gauge No		
TYPE OF S	CREEN OR	PERFORA	TION MA	ΓERIAL:							
☐ Steel	_	less Steel		_	PVC			her (Specify)		
☐ Brass		anized Steel			None t	ised (open ho	ole)				
	R PERFORA				_	_					
		☐ Mill Slot		auze Wrapped			Drilled Holes		Other (Specify)		
_		Key Puncl					None (Open I			C	Ç.
									ft., From		
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
				II., From	of oor	II. IO	II., From		It. to	II.	
Nearest source of possible contamination: No potential source of contamination within 200 ft.											
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well											
	ght Sewer Lin			☐ Fee			Fertilizer St				
				<u>—</u>			_		—		
Direction from well?											
10 FROM	TO	I	ITHOLOG	GIC LOG		FROM	TO	LIT	THO. LOG (cont.) or	PLUGGI	NG INTERVALS
						Notes:				·	
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year)											
Kansas Wat	ter Well Con	tractor's Lice	ense No	Т	nıs Wa	ater Well R	ecord was co	mple	eted on (mo-day-y	ear)	
under the bi	usiness name	end one convit	WATERW	ELL OWNER and	d retain	one for your "	cords Fee of \$	5.00 1	for each <u>constructed</u> we	<u></u>	
KS Departm	nent of Health ar	nd Environment	Bureau of V	Vater, Geology Se	ction, 10	000 SW Jackso	on St., Suite 420	, Top	eka, Kansas 66612-136	7. Telepho	ne 785-296-3565.
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	DONALD I & PENNEY V SCHWAB &
Doc ID	1547542

Lithology

From	То	LithologicLog
0	2	TOPSOIL
2	34	BR. SANDY CLAY
34	40	FINE SAND
40	56	BR. SANDY CLAY W/ FEW LIME ROCK STRIPS
56	71	FINE/MED SAND
71	82	FINE, MED, COARSE SAND
82	101	BR. SANDY CLAY
101	177	F/M/C SAND, SOME SM. GRAVEL W/ CLAY LAYERS
177	212	F/M/C SAND, SM. GRAVEL
212	227	BR/BL. CLAY
227	248	F/M/C SAND W/ FEW CLAY LAYERS
248	278	F/M/C SAND
278	285	BR/BL CLAY
285	325	F/M/C SAND
325	329	LT BL CLAY
329	350	F/M/C SAND
350	353	LT BL CLAY
353	370	F/M/C SAND
370	375	LT BL CLAY
375	415	F/M/C SAND
415	436	F. SAND, BR. SC, CLAY, LIME ROCK STRIPS

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	DONALD I & PENNEY V SCHWAB &
Doc ID	1547542

Lithology

From	То	LithologicLog
436	475	FINE SAND
475		FINE SANDW/ BR. ROCK MIXED
480	489	SANDSTONE & YEL. SOAPSTONE
489	500	GRAY/BLK SHALE W/ SOME SS LEDGES