KOLAR Document ID: 1571159

WATER V		ECORD Correction		WWC-5	3			ion of Wate			 Well I	_ [
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction				Resources App. No. Section Number Township Num					ge Number				
County:					Beeti	T S R DE DW							
							or Rural Address where well is located (if unknown, distance and						
Business:						direction fi	irection from nearest town or intersection): If at owner's address, check here:						
Address:													
Address: City: State: ZIP:													
3 LOCATE	WELL												
WITH "X"				IPLETED '			ft.						
SECTION	BOX:			Encountered: 3) f			1			e:			
N				TER LEVEL			1			WGS 84 □ NAI	_	_ N	AD 27
X X				, measured or						Latitude/Longitude			,
NW	- NE			measured or				☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)					
	ī	_		ater was		Land			Survey Topogr			• ,	
w	E	after		s pumpinggpm				☐ Online Mapper:					
SW -	- SE	aftar		vater was									
		Estimated Y		s pumping gpm				6 Elevation:ft. ☐ Ground Level ☐ TC				Level TOC	
S				in. to		ft. and				Land Survey	and Survey GPS Topographic Map		
1 mil	e			in. to						Other			
7 WELL W	ATER TO	BE USED A	AS:										
1. Domestic:				ter Supply: v						eld Water Supply: 16			
Househo				g: how many									
☐ Lawn &				echarge: wel						Uncased (
☐ Livestocl 2. ☐ Irrigation				g: well ID						al: how many bores			
3. ☐ Feedlot	1] Air Sparge	al Remediation: well ID			••••	a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of W					
4. Industria	1		Recovery		jection					(specify):			
Was a chemi	ical/bacteri	ological san	nple subm	itted to KD	HE? \sqcap	Yes \square 1	No]	If yes, date	e sar	nple was submitte	:d:		
Water well di					_	_		•		ı			
8 TYPE OF	CASING	USED: □ S	teel PV	C Other .		CA	SING	G JOINTS	:	Glued Clamped	d □ We	lded	☐ Threaded
										in. to			
Casing height						lbs.	ft.	Wall thick	kness	or gauge No		•••	
TYPE OF SC			TION MA							7 (0)			
☐ Steel ☐ Brass	_	less Steel anized Steel			□ PVC	ısed (open	hala)	☐ Oth	ner (S	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • •	•••••
SCREEN OR			NINGS AI		☐ Nolle (iseu (open	noie)						
☐ Continue		☐ Mill Slot		auze Wrappe	а Пто	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
Louvere		☐ Key Punch						ne (Open H					
SCREEN-PE	RFORATE	D INTERVA	ALS: From	1 ft.	to	ft., Fro	m	ft. to	o	ft., From	ft	. to .	ft.
GRA	AVEL PAC	K INTERV	ALS: From	n ft	. to	ft., Fro	m	ft. to	o	ft., From	ft	. to	ft.
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From ft. to ft.													
				ft., From potential sou	roo of oor	tt. to	thi	ft., From	••••	tt. to	ft.		
Nearest sourc			Lateral Line		ite of cor Pit Privy	itammatioi		in 200 it. ivestock Pe	ne	☐ Insection	ride Stor	age	
Sewer Lin			Cess Pool			igoon		uel Storage		☐ Abando			Vell
☐ Watertight	nt Sewer Line	es 🗆 S	Seepage Pit	□ F	Feedyard			ertilizer Sto					
Other (Sp	pecify)												
Direction from well? Distance from well? 10 FROM TO LITHOLOGIC LOG											1111	S DIEEDII I G	
10 FROM	TO		THOLOG	ilC LOG		FRON	1	TO	LH	HO. LOG (cont.) or	PLUGC	iINC	INTERVALS
						+	+						
											-		
ļ	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Water	r Well Cont	tractor's Lice	ense No		This W	ater Well	Reco	rd was cor	nple	eted on (mo-day-y	ear)		
under the bus	iness name	of	****	TT 1 011				1 5 22		or each <u>constructed</u> we		<u></u>	
KS Departmen	S nt of Health ar	end one copy to d Environment	OWATER W . Bureau of V	ELL OWNER Vater. Geology	Section 10	one for your 000 SW Jack	record	as. Fee of \$5 t Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-13 <i>6</i>	eil. 57. Telenl	none	785-296-3565
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc. #145	
Well Owner	Jerry Chappell	
Doc ID	1571159	

Lithology

From	То	LithologicLog
0	2	top soil
2	9	brown sandy clay
9	23	brown sandy clay
23	42	fine sand w/ couple clay layers
42	52	brown & gray clay
52	73	fine few med sand
73	80	fine med coarse sand few small gravel
80	85	brown sandy clay w/ some sand strips
85	100	brown & gray clay
100	114	fine med coarse sand small gravel
114	118	brown sandy clay w/ some sand mixed
118	134	fine med sand w/ few clay stringers
134	139	brown clay
139	242	fine med coarse sand few small gravel
242	263	blue clay
263	356	fine med coarse sand
356	369	blue & tan clay
369	379	fine some med sand
379	385	fine med some coarse sand

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc. #145
Well Owner	Jerry Chappell
Doc ID	1571159

Lithology

From	То	LithologicLog
385	400	fine med coarse sand
400	409	fine med sand w/ few clay stringers
409	415	fine med some coarse sand
415	426	fine med sand w/ few clay strips
426	437	fine med some coarse sand
437	465	fine sand w/ few clay layers & few lime rock strips
465	499	fine sand
499	517	fine sand w/ sandstone layers
517	565	shale
565	580	red bed