## WATER WELL RECORD Form WWC-5 KSA 82a-1212

11 LOCATION OF WATER WELL:   Fraction   COUNTY: 041 HASKELL   NW 1/4 NW 1/4 NE 1/4	Section Number   Township Number   Range Number   15   T 30   S   R 31   W
Distance and direction from nearest town or city street addres APPROX. 6 1/2 MILES EAST & 2 MILES SOUTH OF SUBLETTE	s of well if located within city?
RRW, St. Address, Box # : 4308 RIDERS MARK City, State, ZIP code : EDMOND, OK 73003-	Board of Agriculture, Division of Water Resources : Application Number: 462
13 LOCATE WELL'S LOCATION WITH 14 DEPTH OF COMPLETED WELL AN "X" IN SECTION BOX 1 Depth(s) Groundwater	LL 405 FLEVATION: 0 : Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.
Pump testdata	EL 265 ft. below land surface measured on mo/day/yr 02/14/97 : : Well water was 0 ft. after 0 hours pumping 0 gpm:
1 I NW NE I Estimated Yield 0 g	pm: Well water was Oft. after O hours pumping O gpm!
	in. to Oft., and in. to Oft.
le : ! WELL WATER WAS: 02 IRRO	GAT10N
SW1 SE1	logical sample submitted to department? No , e was submitted  ## Water well disinfected? Yes:
Blank casing diameter 16 in. to 405 ft., Dia Casing height above land surface -48 in., weight 0 Type Of Screen or Perforation Naterial: 01 Steel Screen or Perforation Openings are: Unknown	lbs/ft. Wall thickness or gauge Ne
SCREEN PERFORATED INTERVALS:   From   180 ft. to   280   From   327 ft. to   347	ft., From 0 ft to 0 ft.  ft., From 0 ft to 0 ft.  ft., From 0 ft to 0 ft.
16 GROUT MATERIAL D2 CEMENT GROUT	to Oft., From Oft. to Oft.  OM WELL  How many feet? 250
FROM   TO   LITHOLOGIC LOG	FROM 1 TO : PLUGGING INTERVALS  1 0 : 4 : BACKF11L  14 : CEMENT GROUT  14 : 260 : CLAY  260 : 405 : SAND & GRAVEL  0 : 0 :  0 : 0 :  0 : 0 :  0 : 0 :  10 : 0 :  10 : 0 :  11 : 0 : 0 :  12 : 0 : 0 :  13 : 0 : 0 :  14 : 0 : 0 : 0 :  15 : 0 : 0 : 0 : 0 : 0 : 0 : 0 : 0 : 0 :
1 7 1	