

1 LOCATION OF WATER WELL:		Fraction $NW \frac{1}{4}$ $NW \frac{1}{4}$ $NW \frac{1}{4}$ $NW \frac{1}{4}$	Section Number 34	Township Number T 30 S	Range Number R 31 EW
County: Haskell					
Distance and direction from nearest town or city street address of well if located within city?					
2 WATER WELL OWNER: Clarence Schmidt					
RR#, St. Address, Box #: Rt 2, Box 58					
City, State, ZIP Code: Cope land, KS 67837					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 430 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 340 ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter in. to ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 <u>Irrigation</u> 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <input checked="" type="checkbox"/> No			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)		5 Wrought iron	
2 PVC		4 ABS		6 Asbestos-Cement	
				7 Fiberglass	
Blank casing diameter 16" in. to ft. Dia. in. to ft. Dia. in. to ft.				8 Concrete tile	
Casing height above land surface 36 in., weight lbs./ft. Wall thickness or gauge No.				9 Other (specify below)	
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel		7 PVC	
2 Brass		4 Galvanized steel		10 Asbestos-cement	
		6 Concrete tile		8 RMP (SR)	
				9 ABS	
				11 Other (specify) NA	
				12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot		5 Gauzed wrapped	
2 Louvered shutter		4 Key punched		8 Saw cut	
				9 Drilled holes	
				10 Other (specify) NA	
				11 None (open hole)	
SCREEN-PERFORATED INTERVALS:					
From 999 ft. to 999 ft.		From ft. to ft.		From ft. to ft.	
From ft. to ft.		From ft. to ft.		From ft. to ft.	
GRAVEL PACK INTERVALS:					
From ft. to ft.		From ft. to ft.		From ft. to ft.	
From ft. to ft.		From ft. to ft.		From ft. to ft.	
6 GROUT MATERIAL:					
1 Neat cement		2 <u>Cement grout</u>		3 Bentonite	
4 Other					
Grout Intervals: From 9 ft. to 3 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines		7 Pit privy	
2 Sewer lines		5 Cess pool		8 Sewage lagoon	
3 Watertight sewer lines		6 Seepage pit		9 Feedyard	
				10 Livestock pens	
				11 Fuel storage	
				12 Fertilizer storage	
				13 Insecticide storage	
				14 Abandoned water well	
				15 Oil well/Gas well	
				16 Other (specify below)	
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			430	340	chlorinated gravel
			340	9	subsoil
			9	6	grout
			6	3	cement
			3	0	cut off casing and backfill
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-9-97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) under the business name of Southwest Windmill by (signature) George Enns					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					