WARED WELL DECODD		WW WW./W.	vo e	2011	D 4 37	18,253
WATER WELL RECORD 1 LOCATION OF WATER WE	II. En	Form WV action	<u>VC-5</u>	Section Number	Resources App. No. Township No.	Range Number
County: HASKELL	LL. 116	½ NE ¼ NW	1/4 NW 1/4	22		R 31 □E ✓W
Street/Rural Address of Well Location; if unknown, distance & direction			direction	Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees) Longitude: (in decimal degrees)		
SE CORNER OF SUBLETTE - 4 MILES SOUTH, 8 MILES EAST,				Longitude:		
4,960 FT. NORTH & 4,000 FT. WEST				Datum: WGS 84	, □ NAD 83, □	 NAD 27
2 WATER WELL OWNER: FRY FAMILY FARMS RR#, Street Address, Box #: AG MANAGEMENT- PO BOX 1013				Collection Method:		
RR#, Street Address, Box #: AG MANAGEMENT- PO BOX 1013 City, State, ZIP Code : GARDEN CITY, KANSAS 67846			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, 211 Code . (JARDEN C	11 Y, KANSAS 67	846	Est. Accuracy: \square <	3 m, 3-5 m, 3	5-15 m, $\square > 15$ m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL						
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.						
N WELL'S STATIC WATER LEVEL326ft. below land surface measured on mo/day/yr12-11-12						
Pump test data: Well water wasft. after hours pumping gpm						
W - NW - Section - NE - EST. YIELD						
W E Bore Hole Diameter 39						
Swall SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
5 TYPE OF CASING USED: ✓ Steel □ PVC □ Other						
Casing diameter16 in. to350 ft., Diameter in. to ft., Diameter ft.						
Casing height above land surface12						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
✓ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot						
SCREEN-PERFORATED INTERVALS: From						
From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From 20 ft. to 275 ft., From 335 ft. to 435 ft.						
From						
Grout Intervals: From						
What is the nearest source of possible contamination:						
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☑ Abandoned water well						
Watertight sewer lines	Seepage pit		Fertilizer st			
Direction from well NORTHE			T			.,
FROM TO LIT	HOLOGIC .	LOG	FROM	TO LITHO. L	OG (cont.) <u>or</u> PLU	GGING INTERVALS
					*	
SEE ATTACHE	D LOG					
			-			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year)12-11-12 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 208 This Water Well Record was completed on (mo/day/year) 12-13-12 under the business name of						
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						

Professionals MINTER-WILSON DRILLING CO. Water Systems Complete Installation

Irrigation and Domestic and Repairing

INCORPORATED

Phone 620-276-8269 P.O. Box A **GARDEN CITY, KANSAS 67846**

NAME

FRY FAMILY FARMS

COUNTY

HASKELL

DATE

11-8-12

LOCATION:

NW 1/4 22-30-31 - SUBLETTE - 7 MILES EAST TO ROAD V V,

3 MILES SOUTH & 1/4 MILE EAST

STATIC WATER LEVEL - 330 FT.

TEST#3

0' TO 2' - TOP SOIL

2' TO 76' - BROWN CLAY

76' TO 104' - FINE TO MEDIUM SAND & GRAVEL

104' TO 121' - BROWN CLAY

121' TO 147' - FINE TO MEDIUM SAND & GRAVEL

147' TO 157' - BROWN CLAY

157' TO 164' - FINE TO MEDIUM SAND & FINE GRAVEL - CEMENTED

164' TO 188' - FINE TO MEDIUM SAND & GRAVEL

188' TO 200' - BROWN CLAY WITH SMALL GRAVEL STREAKS

200' TO 264' - FINE TO MEDIUM SAND & GRAVEL

264' TO 274' - BROWN CLAY

274' TO 303' - FINE TO MEDIUM SAND & GRAVEL

303' TO 330' - FINE TO MEDIUM SAND & GRAVEL - 15% CLAY

330' TO 344' - BROWN SANDY CLAY - SMALL GRAVEL STREAKS

344' TO 352' - FINE TO MEDIUM SAND & GRAVEL

352' TO 384' - FINE TO MEDIUM SAND & FINE GRAVEL

384' TO 395' - FINE TO MEDIUM SAND & FINE GRAVEL - 15% CLAY

395' TO 415' - BROWN & BLUE CLAY

415' TO 430' - FINE TO MEDIUM SAND & FINE GRAVEL - 25% CLAY

430' TO 455' - BROWN, BLUE & YELLOW CLAY - TOOK WATER

455' TO 465' - BROWN, GRAY, YELLOW & BLUE CLAY

465' TO 470' - GRAY SHALE - HARD