

WATER WELL RI		W W C-5		02-10		sion of Wate			W-11 ID		
Original Record 1 LOCATION OF WA		e in Well U Fraction				irces App. Nion Numbe		Torreshin Numb	Well ID	a Numban	
County:	TIEK WELL:	1/4		/ ₄ 1/ ₄	Secu	ion Numbe	Г	Township Numb	er Ran R	nge Number □ E □ W	
2 WELL OWNER: La	. N		74		r Direc	1 Addraga	who	re well is located			
Business:	st Name:	First:						section): If at owner			
Address:				direction	IIOIII IIC	arest town of	mici	section). If at owner	i s addicss,	check here.	
Address:											
City:	State:	ZIP:				1					
3 LOCATE WELL	4 DEPTH OF COV	IPLETEI) WELL:		ft	5 Latitu	ıde.			(decimal degrees)	
WITH "X" IN	4 DEPTH OF COMPLETED WELL: ft. 5 Latitude: (decimal degrees) Depth(s) Groundwater Encountered: 1)										
SECTION BOX:	Depth(s) Groundwater Encountered: 1)										
N	WELL'S STATIC WA	TER LEVE	EL:	ft.	t. Source for Latitude/Longitude:				(IID 21		
	 below land surface, 	measured	on (mo-day	y-yr)			GPS (unit make/model:)				
NW NE	☐ above land surface,				(√o)		
	Pump test data: Well w							Survey Topographic Map			
WE	after hours						nline	Mapper:			
SW SE	after hours										
	Estimated Yield:			gpm	6 Elevation			n:ft. ☐ Ground Level ☐ TOC			
S	Bore Hole Diameter:		to	ft. and					opographic Map		
1 mile			to					Other			
7 WELL WATER TO	BE USED AS:					1					
1. Domestic:	5. ☐ Public Wa	ter Supply:	well ID			10. □ Oil	l Fiel	ld Water Supply: 16	ease		
☐ Household	6. Dewaterin	g: how ma	ny wells?.					well ID			
☐ Lawn & Garden	7. 🗌 Aquifer Re							☐ Uncased ☐			
☐ Livestock	8. Monitoring							al: how many bores			
2. Irrigation	9. Environmenta							Loop Horizon			
3. ☐ Feedlot	☐ Air Sparge		Soil Vapor	Extraction	1			.oop Surface Di			
4. Industrial	Recovery		Injection					specify):			
Was a chemical/bacteri		itted to K	COHE ? □	Yes 🗆	No	If yes, date	san	nple was submitte	:d:		
Water well disinfected?											
8 TYPE OF CASING											
Casing diameter											
Casing height above land so			ht	lbs	s./ft.	Wall thick	ness	or gauge No	• • • • • • • • • • • • • • • • • • • •		
TYPE OF SCREEN OR											
	less Steel		□ PVC	1.7	1 1)		er (S	pecify)	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
☐ Brass ☐ Galva SCREEN OR PERFORA	anized Steel		☐ None	used (oper	i noie)						
		auze Wrapi	ned □ T	Orch Cut	□ Dri	illed Holes		Other (Specify)			
	☐ Key Punched ☐ W					ne (Open H		Other (Specify)			
SCREEN-PERFORATE								ft From	ft. to	ft.	
	K INTERVALS: From									, ft.	
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Nearest source of possible contamination:											
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage											
Sewer Lines	Cess Pool		Sewage L			uel Storage			oned Water		
☐ Watertight Sewer Line			Feedyard		☐ F	ertilizer Sto	rage	☐ Oil We	ll/Gas Well		
Other (Specify)								C.			
Direction from well?			ance from v							CINTEDIALC	
10 FROM TO	LITHOLOG	JIC LUG		FRO	M	TO	LIII	HO. LOG (cont.) or	PLUGGIN	GINTERVALS	
					_						
					_						
				Notes	٠.						
Notes:											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged											
under my jurisdiction an	d was completed on (m	no-dav-ve	ar)		and th	nis record i	s tru	e to the best of m	v knowled	ge and belief.	
under my jurisdiction and was completed on (mo-day-year)											
under the business name of											
	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.							705 205 2555			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5		
Contractor	Hydro Resources Mid Continent, Inc.		
Well Owner	Twila Stapleton		
Doc ID	1108240		

Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	48	BROWN SANDY CLAY
48	67	FINE SAND DRILLED LITTLE TIGHT
67	95	BROWN SANDY CLAY W/ FEW SAND STRIPS
95	110	SAND FINE TO MED
110	115	BROWN CLAY
115	149	SAND FINE TO MED COARSE
149	160	BROWN SANDY CLAY
160	196	SAND FINE TO MED COARSE
196	208	BROWN SANDY CLAY W/ SAND BED
208	220	SAND FINE TO MED W/ COUPLE CLAY LEDGES
220	230	BROWN & BLUE CLAY
230	257	SAND FINE TO MED COARSE
257	280	BROWN CLAY W/ FEW SANDSTRIPS
280	405	SAND FINE TO MEDCOARSE FEW CLAY STRINGERS
405	440	BROWN SANDY CLAY W/ SOME LIMEROCK & SAND STRIPS

Form	WWC5		
Contractor	Hydro Resources Mid Continent, Inc.		
Well Owner	Twila Stapleton		
Doc ID	1108240		

Litholgy

From	То	LithologicLog
440	460	BROWN CLAY-STICKY- FEW LIMEROCK
460	486	FINE SAND W/ FEW CLAY STRINGERS
486	495	BROWN CLAY -STICKY-
495	514	FINE SAND W/BROWN ROCK & FEW CLAY STRINGERS
514	550	SOAPSTONE
550	560	RED BED