

		RECORD		WWC-5		1747		sion of Wate			XX7 11 TT		
			ge in Well U	se			urces App. N		Townshin Numb	Well II		umber	
1 LOCATION OF WATER WELL:     Fraction       County:     1/4				1/4 1	/4 <sup>1</sup> /4	Section Number Township Number Range Nur $\frac{1}{4}$ T S R $\square$ E			$\Xi \square W$				
					treet or Rural Address where well is located (if unknown, distance and								
Business:							lirection from nearest town or intersection): If at owner's address, check here:						
Address:	Address:						, , , <u> </u>						
City:	Address: City: State: ZIP:												
	3 LOCATE WELL												
WITH "													
SECTIO		Depth(s) Gr		3)	,		Longitude				al degrees)		
N	N	WELL'S ST						Source for Latitude/Longitude:					
		below land surface, measured on (mo-day-yr)								init make/model:			)
NW	NE		above land surface, measured on (mo-day-yr)										
				vater was ft. s pumping gpm				□ Land Survey □ Topographic Map					
W	E	alter		s pumping vater was			Online Mapper:						
SW	SE	after		s pumping									
		Estimated Y	/ield:	gpm						<b>n</b> :ft. $\Box$ Ground Level $\Box$ TOC			
	S	Bore Hole I					Source:  Land Survey  GPS  Topographic Map Other						
1 r				in.	to	ft.							
1. Domestic:		D BE USED A		ater Supply:	well ID				il Fiel	d Water Supply: le	250		
□ Housel													
Lawn d				g: how many wells? echarge: well ID					$\Box$ Cased $\Box$ Uncased $\Box$ Geotechnical				
□ Livesto					ID				12. Geothermal: how many bores?				
2. 🗌 Irrigati				al Remediat					a) Closed Loop 🔲 Horizontal 🗌 Vertical				
3. ☐ Feedlo 4. ☐ Industr			Air Sparge Recovery				n	b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):					
					-		N						
		riological sar ? □ Yes □		nited to K		res	NO	II yes, date	e san	ple was submitte	d:	•••••	•••••
						0	'A SIN	GIOINTS	· 🗆	Glued Clamped			hreaded
										in. to			meaucu
										or gauge No			
TYPE OF S		R PERFORA	TION MA	TERIAL:									
□ Steel		inless Steel	🗌 Fibei		D PVC				ner (S	pecify)			
Brass		vanized Steel			□ None	used (ope	n hole)	)					
	nuous Slot	RATION OPE		ке: auze Wrapp	r∏ be	orch Cut		illed Holes		Other (Specify)			
		Key Punc	hed □W	/ire Wrappe	d ∏S			one (Open H		Other (Specify)			
						ft., F	rom	ft. to	o	ft., From	ft.	to	ft.
										ft., From			
				ft., From		. ft. to	• • • • • • • • • •	ft., From		ft. to	ft.		
Nearest sou		le contaminati	i <b>on:</b> Lateral Line	ж Г	Pit Privy			Livestock Pe	ne	Insection	ide Stora	0 A	
$\square$ Septe	Lines		Cess Pool		Sewage L	agoon		Fuel Storage					
U Waterti	ight Sewer Li	ines 🔲	Seepage Pit		Feedyard	0	Ē	Fertilizer Sto	orage	Oil We			
Other (	Specify)	ines											
Direction fro	om well?			Dista	ance from v	vell?				ft.	DILIGO		EDIVALO
10 FROM	TO	1	LITHOLO	GIC LOG		FRC	0M	ТО	LIT	HO. LOG (cont.) or	PLUGG.	NG INT	ERVALS
	Notes:												
<b>11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.													
Kansas Wa	ter Well Co	ntractor's Lie	ense No	no-uay-yea	u) Thie W	ater Wel	and t 1 Reco	ms record 1	is tru mplei	e to the best of my	y Knowle ear)	uge and	i bener.
		ne of											
	under the business name of												
-					gy Section, 1	000 SW Ja	ckson S	st., Suite 420,	Tope	ka, Kansas 66612-136			
visit us at h	<u>p://www.Kdh</u>	eks.gov/waterwel	n/maex.ntml									KSA 82a	a-1212

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Grant Webber
Doc ID	1131747

## Litholgy

From	То	LithologicLog
0	20	TOP SOIL
20	40	WHITE CLAY W/ FINE SAND LAYERS
40	60	TAN CLAY W/ FINE SAND LAYERS
60	80	FINE-MED SAND
80	100	FINE-MED SAND W/TAN CLAY STREAKS
100	120	FINE-MED SAND
120	140	FINE-LARGE SAND
140	160	FINE-LARGE SAND, LARGE GRAVEL
160	180	FINE-COARSE SAND
180	200	FINE-MED SAND
200	220	FINE MED SAND, W MED GRAVEL LAYERS
220	240	FINE COARSE SAND W/ WHITE CALICHE STREAKS, ROCK LAYERS -DRILLED HARD-
240	300	FINE-COARSE SAND
300	306	BLUE CLAY
306	340	FINE COARSE SAND, BLUE CLAY LAYERS
340	360	FINE-COARSE. BLUE CLAY STREAKS
360	380	FINE COARSE SAND.TAN- BLUE CLAY STREAKS

Form	WWC5
Contractor Hydro Resources Mid Continent, Inc.	
Well Owner	Grant Webber
Doc ID	1131747

## Litholgy

From	То	LithologicLog
380	440	FINE COARSE SAND, SMALL GRAVEL, SMALL GRAVEL ALYERS, TAN CLAY STREAKS
440	460	FINE COARSE SAND TAN CLAYLAYER, WHITE ROCK STREAKS
460	480	FINE MED SAND TAN BLUE CLAY LAYERS, WHITE ROCK STREAKS
480	490	FINE MED SAND BLUE TAN CLAY LAYERS
490	500	BLUE CLAY
500	525	BLUE TAN CLAY FINE SAND LAYERS
525	535	BLUE-TAN-GRAY CLAY
535	540	HARD ROCK
540	565	FINE TAN GRAY TIGHT SAND W/ ROCK LAYERS
565	585	SHALE