

WATER WELL RECORD

Form WWC-5

Division of Water Resources App. No.

13,737

1 LOCATION OF WATER WELL: County: HASKELL	Fraction ¼ SE ¼ NW ¼ NE ¼	Section Number 9	Township No. T 30 S	Range Number R 31 <input type="checkbox"/> E <input checked="" type="checkbox"/> W
---	------------------------------	---------------------	------------------------	---

Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here .
SE CORNER OF SUBLETTE-7 M E TO V V ROAD, 2 M S, 4,327 FT. NORTH & 1,821 FT. WEST

Global Positioning System (GPS) information:
Latitude: (in decimal degrees)
Longitude: (in decimal degrees)
Elevation:
Datum: WGS 84, NAD 83, NAD 27
Collection Method:
 GPS unit (Make/Model:)
 Digital Map/Photo, Topographic Map, Land Survey
Est. Accuracy: <3 m, 3-5 m, 5-15 m, >15 m

2 WATER WELL OWNER: FRY FAMILY FARMS
RR#, Street Address, Box #: AG MANAGEMENT-PO BOX 1013
City, State, ZIP Code : GARDEN CITY, KANSAS 67846

3 LOCATE WELL WITH AN "X" IN SECTION BOX:
N
W E
S
|-----| mile |-----|

4 DEPTH OF COMPLETED WELL 440 ft.
Depth(s) Groundwater Encountered (1)..... ft. (2)..... ft. (3)..... ft.
WELL'S STATIC WATER LEVEL..... 310 ft. below land surface measured on mo/day/yr. 5-21-13.....
Pump test data: Well water was..... ft. after..... hours pumping..... gpm
EST. YIELD..... gpm. Well water was..... ft. after..... hours pumping..... gpm
Bore Hole Diameter .30..... in. to .440 ft., and in. to ft.
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well
 Domestic Feedlot Oil field water supply Dewatering Other (Specify below)
 Irrigation Industrial Domestic-lawn & garden Monitoring well
Was a chemical/bacteriological sample submitted to Department? Yes No
If yes, mo/day/yr sample was submitted.....
Water well disinfected? Yes No

5 TYPE OF CASING USED: Steel PVC Other
CASING JOINTS: Glued Clamped Welded Threaded
Casing diameter .16..... in. to .330 ft., Diameter in. to ft., Diameter in. to ft.
Casing height above land surface .12..... in., Weight 42.05..... lbs./ft., Wall thickness or gauge No. 250.....
TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel PVC Other (Specify)
 Brass Galvanized Steel None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:
 Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)
 Louvered shutter Key punched Wire wrapped Saw cut Other (specify)
SCREEN-PERFORATED INTERVALS: From .330 ft. to .440 ft., From ft. to ft.
From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS: From .20 ft. to .250 ft., From .310 ft. to .440 ft.
From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other
Grout Intervals: From .0 ft. to .20 ft., From .250 ft. to .310 ft., From ft. to ft.
What is the nearest source of possible contamination:
 Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)
 Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well
 Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well
Direction from well SOUTHEAST Distance from well .127' S & 201' E

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
		SEE ATTACHED LOG			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 5-21-13..... and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 208..... This Water Well Record was completed on (mo/day/year) 5-23-13..... under the business name of MINTER-WILSON DRILLING CO., INC..... by (signature) *Nora Keller*.....

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at <http://www.kdheks.gov/waterwell/index.html>.

*The
Professionals*

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 620-276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

NAME FRY FAMILY FARMS
COUNTY HASKELL
DATE 3-28-13

LOCATION: NE 1/4 9-30-31 - SUBLETTE - 7 MILES EAST V V ROAD, 1 MILE SOUTH,
1/4 MILE WEST & 1/4 MILE SOUTH
- 180 FT. NORTHWEST OF EXISTING WELL

STATIC WATER LEVEL - APPROX. 300 FT.

TEST # 1

0' TO 2' - TOP SOIL
2' TO 68' - BROWN CLAY
68' TO 75' - BROWN CLAY WITH GRAVEL STREAKS
75' TO 100' - BROWN CLAY
100' TO 119' - FINE TO MEDIUM SAND & GRAVEL
119' TO 140' - BROWN CLAY WITH STREAKS OF GRAVEL
140' TO 175' - FINE TO MEDIUM SAND & GRAVEL - 10% CLAY
175' TO 190' - BROWN CLAY
190' TO 232' - FINE TO MEDIUM SAND & GRAVEL - TIGHT
232' TO 284' - FINE TO MEDIUM SAND & GRAVEL - 10% CLAY
284' TO 295' - BROWN CLAY
295' TO 301' - BROWN CLAY WITH GRAVEL STREAKS
301' TO 327' - FINE TO MEDIUM SAND & GRAVEL
327' TO 414' - FINE TO MEDIUM SAND & GRAVEL - 10% CLAY
414' TO 427' - BROWN CLAY WITH GRAVEL STREAKS
427' TO 472' - BROWN CLAY
472' TO 491' - BROWN CHIP CLAY
491' TO 498' - BROWN YELLOW CLAY
498' TO 500' - SHALE