



Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1323371

Litholgy

From	To	LithologicLog
0	10	CLAY
10	20	LIME CLAY/MAG CLAY
20	60	MAG & LIME
60	73	CLAY W/ TR. C. SAND
73	80	F/M GRAVEL
80	95	F. GRAVEL & CLAY STRINGERS
95	100	F/M GRAVEL
100	120	C. SAND & F. GRAVEL/LIME
120	127	C SAND & F. GRAVEL
127	130	CLAY
130	140	COARSE SAND & F. GRAVEL
140	180	F/M GRAVEL
180	200	CLAY/C SAND & LIME
200	220	C. SAND & FINE GRAVEL
220	260	C SAND & F/M GRAVEL
260	277	C SAND & F. GRAVEL
277	280	CLAY
280	284	LIME
284	288	CLAY
288	300	C. SAND & FINE GRAVEL
300	320	C. SAND & LIME LAYER
320	340	COARSE SAND

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1323371

Litholgy

From	To	LithologicLog
340	360	C SAND & F. GRAVEL / LIME
360	380	C. SAND
380	386	M/C SAND
386	400	M/C SAND
400	415	FINE SAND / SANDSTONE/ LIME
415	420	CLAY
420	440	SANDY CLAY& LIME CLAY
440	460	SANDY CLAY
460	475	CLAY
475	478	MED SAND
478	480	CLAY
480	489	CLAY
489	500	M/C SAND
500	520	SANDY CLAY
520	532	CLAY
532	540	SHALE
540	551	SHALE/LIME/CLAY
551	565	SAND