

WATER WELL R		** ** C-3	2090		ion of Water		W 11 ID	
		ge in Well Use			rces App. No.	T 1: N 1	Well ID	NY 1
1 LOCATION OF WA	ATER WELL:	Fraction	1/4 1/4	Secti	on Number	Township Numb		ige Number
County:		1/4 1/4	D	1 4 1 1 1	T S	R	□E □W	
				eet or Rural Address where well is located (if unknown, distance and ction from nearest town or intersection): If at owner's address, check here:				
Address:			direction	nom ne	arest town or in	ersection). If at Owne	a s address, c	meck nere.
Address:								
City:	State:	ZIP:			1			
3 LOCATE WELL	4 DEPTH OF COM	PLETED WELL:	•	ft	5 Latitude	<u>.</u>		(decimal degrees)
WITH "X" IN	Depth(s) Groundwater					de:		
SECTION BOX:		3) ft., or 4)				UGS 84 □ NA		
1	WELL'S STATIC WA	TER LEVEL:	ft.	ft. Source for Latitude/Longitude:				
	below land surface.				☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
NW NE	above land surface,			•••••				
	Pump test data: Well w							
W E		s pumpingvater was			☐ Onli	ne Mapper:		• • • • • • • • • • • • • • • • • • • •
SW SE		s pumping						
	Estimated Yield:		6F	6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:	in. to	ft. and					
mile		in. to	ft.		L	Other		
7 WELL WATER TO								
1. Domestic:		ter Supply: well ID.				ield Water Supply: 1		
Household		g: how many wells?						
☐ Lawn & Garden ☐ Livestock		echarge: well ID g: well ID				mal: how many bore		
2. Irrigation		al Remediation: well						
3. ☐ Feedlot	☐ Air Sparge							
4. Industrial	☐ Recovery					(specify):		
Was a chemical/bacter	iological sample subm	nitted to KDHE?	∃Yes □	No 1	If ves, date sa	ample was submitte	ed:	
Water well disinfected?					<i>j</i> ,			
8 TYPE OF CASING		C □ Other	C	ASINO	G JOINTS: [☐ Glued ☐ Clampe	d □ Welded	d □ Threaded
Casing diameter								
Casing height above land s						ss or gauge No		
TYPE OF SCREEN OR	PERFORATION MA							
	less Steel				☐ Other	(Specify)		
	anized Steel Conc		e used (oper	hole)				
SCREEN OR PERFORA			Tomah Cut	□ ₽•;	llad Halas - E	Othan (Smaaify)		
	☐ Key Punched ☐ W				ne (Open Hole	Other (Specify)		•••••
SCREEN-PERFORATE	ED INTERVALS: From	1 ft. to	ft Fr	om	ft. to	ft From	ft. to	ft.
GRAVEL PACK INTERVALS: From								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
Sewer Lines	Cess Pool	☐ Sewage I			uel Storage		loned Water	Well
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)								
Direction from well? ft.								
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		G INTERVALS
			Notes					
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged								
under my jurisdiction an	d was completed on (m	no-day-year)		and th	is record is t	rue to the best of m	ny knowleds	ge and belief.
Kansas Water Well Con	Kansas Water Well Contractor's License No							
under the business name of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
runnion or mount at	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							

KSA 82a-1212

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1323896

Litholgy

From	То	LithologicLog	
0	10	CLAY	
10	20	CLAY & LIME	
20	40	CLAY & MAG	
40	60	CLAY, LIME & MAG CLAY	
60	69	CLAY & M/C SAND	
69	80	COARSE SAND & F. GRAVEL	
80	92	CLAY & MAG	
92	98	F/M GRAVEL	
96	100	CLAY & MAG	
100	120	C. SAND/F. GRAVEL/ CLAY STRINGER/MAG	
120	139	C. SAND/F. GRAVEL & TR. SANDY CLAY	
139	140	LIME	
140	160	C. SAND/F. GRAVEL/M. SAND	
160	169	C. SAND & F. GRAVEL	
169	186	CLAY	
186	230	C. SAND & F. GRAVEL	
230	237	CLAY	
237	289	C. SAND & F. GRAVEL	
289	300	CLAY	
300	305	C. SAND & F. GRAVEL	
305	314	CLAY	

Form	WWC5
Contractor	Downey Drilling, Inc.
Well Owner	
Doc ID	1323896

Litholgy

From	То	LithologicLog
314	395	C. SAND & F. GRAVEL
395	400	CLAY
400	414	C. SAND/F. GRAVEL & CLAY
414	426	CLAY
426	440	C. SAND/SANDSTONE& CLAY/LIME
440	460	C. SAND/CLAY & LIME
460	480	C. SAND/SS/& CLAY STRINGER
480	500	M/C SAND/SANDSTONE/TR. SANDY CLAY
500	510	M. SAND/TR SS & CLAY