

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number			
County: Haskell		SW 1/4 SW 1/4 SW 1/4		24		T 30 S		R 31 EW			
Distance and direction from nearest town or city street address of well if located within city?											
1 West 7 South 1/2 West of Copeland											
2 WATER WELL OWNER: Somerville Estate											
RR#, St. Address, Box # : c/o Pat Stanifor						Board of Agriculture, Division of Water Resources					
City, State, ZIP Code : 1603 West Lynn						Application Number:					
Wichita, Kansas 67212											
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:											
		4 DEPTH OF COMPLETED WELL: 270' ft. ELEVATION:									
		Depth(s) Groundwater Encountered 1. Dry Hole ft. 2. ft. 3. ft.									
		WELL'S STATIC WATER LEVEL 999 ft. below land surface measured on mo/day/yr 11-1-94									
		Pump test data: Well water was ft. after hours pumping gpm									
		Est. Yield gpm: Well water was ft. after hours pumping gpm									
Bore Hole Diameter: Was in. to ft., and in. to ft.											
WELL WATER TO BE USED AS:											
5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well											
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted											
Water Well Disinfected? Yes X No											
5 TYPE OF BLANK CASING USED:											
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded											
Blank casing diameter 16 in. to 270 ft., Dia in. to ft., Dia in. to ft.											
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) NA 12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) NA											
SCREEN-PERFORATED INTERVALS: From NA ft. to NA ft., From ft. to ft.											
From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.											
From ft. to ft., From ft. to ft.											
6 GROUT MATERIAL:											
1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: 4 From 4 ft. to 8 ft., From ft. to ft., From ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage											
Direction from well? How many feet?											
FROM		TO		LITHOLOGIC LOG		FROM		TO		PLUGGING INTERVALS	
270		170		Sand							
170		8		Clay							
8		4		Cement Grout							
4		0		Clay							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-2-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 223 This Water Well Record was completed on (mo/day/yr) 11-29-94 under the business name of Dunham Drilling Co. by (signature) Karen Dunham											