

1 LOCATION OF WATER WELL		Fraction NE NE SW	Section Number	Township Number	Range Number																		
County: Haskell		1/4 1/4 1/4	15	T 30 S	R 32 E/W																		
Distance and direction from nearest town or city? 1 East, 2 1/2 South, 1/2 East of Sublette, Ks.			Street address of well if located within city?																				
2 WATER WELL OWNER: Fred Prohsch																							
RR#, St. Address, Box # :			Board of Agriculture, Division of Water Resources																				
City, State, ZIP Code : Sublette, Ks. 67877			Application Number: ----																				
3 DEPTH OF COMPLETED WELL: 405 ft. Bore Hole Diameter: 9 7/8 in. to 405 ft. and 405 ft. in. to 405 ft.																							
Well Water to be used as:																							
5 Public water supply		8 Air conditioning		11 Injection well																			
<input checked="" type="checkbox"/> Domestic 3 Feedlot		6 Oil field water supply		9 Dewatering																			
2 Irrigation 4 Industrial		7 Lawn and garden only		12 Other (Specify below)																			
Well's static water level 248 ft. below land surface measured on September month 19 day 1980 year																							
Pump Test Data : Well water was 15 gpm: Well water was 15 gpm: hours pumping 19 hours pumping 19 gpm																							
4 TYPE OF BLANK CASING USED:																							
1 Steel		3 RMP (SR)		5 Wrought iron																			
XXX PVC		4 ABS		6 Asbestos-Cement																			
				7 Fiberglass																			
Blank casing dia 5 in. to 325 ft. Dia 5 in. to 325 ft. Dia 5 in. to 325 ft.		Casing Joints: Glued XXX Clamped XXX		Welded XXX																			
Casing height above land surface 12 in. weight 2.8 lbs./ft. Wall thickness or gauge No 265				Threaded XXX																			
TYPE OF SCREEN OR PERFORATION MATERIAL:																							
1 Steel		3 Stainless steel		5 Fiberglass																			
2 Brass		4 Galvanized steel		6 Concrete tile																			
				8 RMP (SR)																			
				9 ABS																			
				10 Asbestos-cement																			
				11 Other (specify)																			
				12 None used (open hole)																			
Screen or Perforation Openings Are:																							
1 Continuous slot		3 Mill slot		5 Gauzed wrapped																			
2 Louvered shutter		4 Key punched		6 Wire wrapped																			
				7 Torch cut																			
Screen-Perforation Dia 5 in. to 405 ft. Dia 5 in. to 405 ft. Dia 5 in. to 405 ft.				8 Saw cut																			
Screen-Perforated Intervals: From 325 ft. to 405 ft. From 325 ft. to 405 ft. From 325 ft. to 405 ft.				9 Drilled holes																			
				10 Other (specify)																			
Gravel Pack Intervals: From 14 ft. to 405 ft. From 14 ft. to 405 ft. From 14 ft. to 405 ft.				11 None (open hole)																			
5 GROUT MATERIAL: XX Neat cement 2 Cement grout 3 Bentonite 4 Other																							
Grouted Intervals: From 4 ft. to 14 ft. From 4 ft. to 14 ft. From 4 ft. to 14 ft.																							
What is the nearest source of possible contamination:																							
1 Septic tank		4 Cess pool		7 Sewage lagoon																			
2 Sewer lines		5 Seepage pit		8 Feed yard																			
3 Lateral lines		6 Pit privy		9 Livestock pens																			
				10 Fuel storage																			
				11 Fertilizer storage																			
				12 Insecticide storage																			
				13 Watertight sewer lines																			
				14 Abandoned water well																			
				15 Oil well/Gas well																			
				16 Other (specify below)																			
Direction from well North How many feet 15 ? Water Well Disinfected? Yes XXX No																							
Was a chemical/bacteriological sample submitted to Department? Yes XXX No XXX If yes, date sample was submitted XXX month XXX day XXX year: Pump Installed? Yes XXX No XXX																							
If Yes: Pump Manufacturer's name Aermotor Model No. SD20-300 HP 3 Volts 220																							
Depth of Pump Intake 357 ft. Pumps Capacity rated at 20 gal./min.																							
Type of pump: XXX Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other																							
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on September month 30 day 1980 year																							
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252																							
This Water Well Record was completed on October month 13 day 1980 year under the business name of Friesen Windmill & Supply Inc. by (signature) [Signature]																							
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		LITHOLOGIC LOG		LITHOLOGIC LOG																			
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> </tr> <tr> <td>0</td> <td>1</td> <td>Topsoil</td> </tr> <tr> <td>1</td> <td>95</td> <td>Clay with sand streaks</td> </tr> <tr> <td>95</td> <td>302</td> <td>Fine, Med to Lar. Sand & Gravel</td> </tr> <tr> <td>302</td> <td>400</td> <td>Fine Sand with Clay Streaks</td> </tr> <tr> <td>400</td> <td>408</td> <td>Clay</td> </tr> </table>		FROM	TO	LITHOLOGIC LOG	0	1	Topsoil	1	95	Clay with sand streaks	95	302	Fine, Med to Lar. Sand & Gravel	302	400	Fine Sand with Clay Streaks	400	408	Clay		
FROM	TO	LITHOLOGIC LOG																					
0	1	Topsoil																					
1	95	Clay with sand streaks																					
95	302	Fine, Med to Lar. Sand & Gravel																					
302	400	Fine Sand with Clay Streaks																					
400	408	Clay																					
ELEVATION: Upland		Depth(s) Groundwater Encountered 1. Not available ft. 3. Not available ft. 4. Not available ft. (Use a second sheet if needed)																					

OFFICE USE ONLY

T

30

R

32

NW

SEC.

15

NE 1/4

NE 1/4

SW 1/4