WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction	Sec	tion number	Township number	Range number]
1. Location of well:	Haskel	NW 1/4 NW 1/4 NW 1	/4	18	T 30 s	R 32 E/N	
2. Distance and direction from nearest town or city: 3 million bor 3. Owner of well: 6 272 Wright							
Street address of well location if in city: Sublette K. R.R. or street: City, state, zip code: 506/ette K. 17877							
					6. Bore hole dia. 10 in. Completion date 10-7-		78
N					Well depth <u>400</u> ft		
	l l				7. — Cable tool X Rotary	Driven Dug Bored Reverse rotary	
					8. Use: Domestic Public supply Industry		ţ
					Irrigation Air conditioning Stock		
SW SE					Lawn Oil field water Other 9. Casing: Material Height: Above or below		
<u> </u>					Threaded iSurfacein.		
					RMPPVC SCA 40 Weight 2.82 lbs./ft. Dia. 5 in. to 440 ft. depth Wall Thickness: inches or		
5. Type and color of material				om To	Dia in. to ft. dept	th gage No258	
					10. Screen: Manufacturer's n	name JANAY	<u> </u>
durk Gray Lome to light sit tan				0 2	Type Saw Cut	_ Dia	
Silts tan Sandy				280	Slot/gauze Length Ho Set between 3/5 ft. and 355 ft.		
Sand Corse + Grare / Fine bown + black			8	0 /20	Gravel pack? X Size ra	nge of material 1/2 / £151 =	
			120		11. Static water level:	mo./day/yr.	[
silt isilt balls Isand tan						face Date 10-7-78	
Grarel Usome clay halls			15	1 245	12. Pumping level below land 280 ft. after 2 l	rs. pumping <u>23-5</u> g.p.m.	
Soint Clays blue + rust W sand				5 275	ft. after h	nrs. pumping g.p.m.	
Silts Wand fine				5 290	13. Water sample submitted:	mo./day/yr.	
11 blue + brown "some sand				0 315		Date	ļ
TIGHT				ľ	14. Well head completion: Pitless adapter	12. Inches above grade	
Sand for Grave 1- fine / some silt balls				5 360	Well grouted?		()
Sand Corse (Galsified)				0 395	Depth: From3 ft. to .	Bentonite Concrete	
Calichie while Soft Whard stringer				5 405	Negrest source of possible	e contamination:	
silts-tan-rust Wsedementrook				5 420	Well disinfected upon comple	tion? Yes X No	k
31113	2 1 1 2 1	Come Willer	7	72-	17. Pump:	Not installed	, W
				_	Manufacturer's name <u>KE</u> Model number <u>28018 P</u>		
					Length of drop pipe 357	ft. capacity 23 _ 5 g.p.m.	(*)
					Submersible	Turbine	
(Use a second sheet if needed)					Jet Centrifugal	Reciprocating	\ \sigma_{}
18. Elevation: 19. Remarks: 20. Water well contractor's certification:							Ů Do
					This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		_
Topography:					Slocum Drilling 127 =		128
Hill Slope					Business name Address HUGOTON Ka License No.		§ ¾
					Signed Authorized rep	resentative Date 10-26	3
valley					Authorized rep	103011140	74