USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County			Section	number	Township	number	Range number	
1. Location of well:	Haskell SW 1/4 NW 1/		1/4	21		т .	20 5		E(W)
			1	21		<u></u>	30s	· · · · · · · · · · · · · · · · · · ·	
	ction from nearest town or city: Ap		1	ner of well	· F.	loyd	Leonard	Jr.	
Street address of well	SE of Sublette,	Kansas.	R.R. or	street:	e,	nh10+	to Vanc	sas 6787	7
Jireer address or werr	location in in eny.		City, st	tate, zip o	ode:	ubte	te, Kans	ods 0/0/	′
4. Locate with "X" i	n section below:	Sketch map:				6. Bore ho	le dia. 26_ in.	Completion date _	
N					1	Well de	epth _630ft.	2/19/7	9
l ₄					<u> </u>			Driven Dug	
	i								.
NW	NE				-			Bored X Reve	
<u>.</u>	i _				1	8. Use: _	_ Domestic Pu	blic supply Inc	lustry
M M e					İ	2	🛂 Irrigation Ai	r conditioning Sta	ock
★ _ sw	l ce				L			l field water O	
'''	1							Height: Above or b	
<u> </u>	1					Threaded _	WeldedX_	iSurface	in.
S									
11 Mi	ile ———ı					Dia Liu i	n. toft. dept	h Wall Thickness: in	ches or
5. Type and color of	material			From	To	Dia. 16 i	n. to 630 . dept	h gage No2	50
,,,						10. Screen	: Manufacturer's n		
							W. A. Br		i
See Atta	chment						ouvered		
							0608,100		
								ft. and 330-3	
								nd <u>530–630</u>	_ 1 .
						Gravel pa	ck? Yes Size ran	nge of material	<u>Coar</u> se&
						11. Static	water level:	mo.	/day/yr.
				-		<u>229</u>	ft. below land surf	face Date <u>2/2</u>	<u>2/79</u>
						12. Pumpii	ng level below land	surfaces:	
				 		<u> 255</u> ,	t. after h	rs. pumping 145	l g.p.m.
					İ	f	t. after h	rs. pumping	g.p.m.
	• • • •					Estimated :	maximum yield	1,500	_g.p.m.
							sample submitted:		/day/yr.
	· · · · · · · · · · · · · · · · · · ·					Yes	X No [Date	
						14. Well b	ead completion:		
						Pitle		L2_ Inches above	grade
							routed? Yes		
						-		Bentonite (Bentonite	oncrete
						Denth: From	n ft. to	10 ft.	
					-	`			
				 		to. Neare	st source of possible	contamination: N	bserved
							fected upon comple		X No
				+		17. Pump:	-1	X Not installed	
							rer's name		∞ '
				+		Model nur		HP Vol	
					1			_ ft. capacity	
				 		Type:	p.pe	capacity	.a.h
							omersible	Turbine	,
				+		Jet		Recipro	1 1
	(Use a second sh	neet if needed)			1		ntrifugal	Other	Sec
18. Elevation:	19. Remarks:					20 Water	well contractor's c	ertification:	
,o. Lievalion;	.,				1			ertitication: / jurisdiction and this	report '
x Flat							he best of my knowl	•	
Topography:							e Drilli	-	145 \$
Hill						Business no	me	L Lice	ense No
Slope						Address E	0x 639,0	Garden Ci	CY, KB
Upland						B	ner OPi	chantle	2/23/79
Valley					1	Signed 2	Authorized repr	esentative Date	<u>15</u> [

DRILLERS TEST LOG

CUSTOMERS NAME	Floyd Leonard, Jr.	DATE	8/18/78
STREET ADDRESS		TEST # 2	E. LOG Yes
	Sublette, Kansas		
	QUARTER SN SECTION 2		
LOCATION			

				3 WELL LOCATION
%	% FOOTAGE		E	Static Water Level
1	From	Pay	To	DESCRIPTION OF STRATA Proposed Well Depth
	(0)		2	Top Soil
	2		100	Brown clay with a few limerock sts.
	100		123	Sand fine to med coarse with small gravel.
	123		203	Brown clay
	203		210	Sand fine to med coarse.
	210		221	Brown clay with a few limerock sts.
50	221	20	260	Sand fine to med coarse with a few small gravel.
				Loose - used water.
60	260	25	285	Sand fine to med coarse and small gravel. Loose -
- Bin River				used water.
	285		300	
60	300	50		Sand fine to med coarse and small gravel. Loose -
				used water.
	350		365	Brown clay
50	365	13	378	
	378		400	Brown clay and limerock sts with a few ledges.
	400		420	Brown clay
	420		440	Brown clay, limerock ledges with very few brown
				rock ledges.
	440		460	Yellow clay
	460		530	Weather shale
1000	530	10	540	White Bakota. Drilled tight - used water.
cair	540	20		Soapstone Dakota. Drilled tight - used water.
1004	560	67	627	White Dakota with a few sompetone sts. Drilled tigh
	<u>'</u>		<u> </u>	Used alot of water.
	627		634	Soapstone and limestone. Drilled hard.
	634		640	Redbed - hard.
~~~~		20	1	
	<u> </u>	1		Total Duthof well 120'
			<u> </u>	Set rig to the North
				Dig pit on the East
		1		
<del></del>		1		
	<b></b>		1	
	<b> </b>	-	ļ	
			1	
<u>:</u>		<del> </del>	<b></b>	
			-	
<del></del>				

GARDEN CITY, KS Phone 276-3278

HENKLE DRILLING & SUPPLY CO., INC. IRRIGATION HEADQUARTERS

SUBLETTE, KS Phone 675-4311

TEST HOLES * * * * * * IRRIGATION & INDUSTRIAL WELLS * * * * STOCK WELLS