KOLAR Document ID: 1430281

	WELL R	ECORD Correction		WWC-5 e in Well Use				ion of Waterces App. N			   Well I	$^{D}$	
Original Record Correction Change in Well Use  1 LOCATION OF WATER WELL: Fraction					Section Number Township Numb					ge Number			
County				1/4 1/4	4 1/2				-	T S	R		$\Box E \Box W$
					Street or	treet or Rural Address where well is located (if unknown, distance and							
			direction fro	irection from nearest town or intersection): If at owner's address, check here:									
Address: Address:													
City:			State:	ZIP:									
3 LOCATI	E WELL				1								
WITH "				IPLETED W			. ft.						
SECTIO	N BOX:			Encountered:						e:			
N	ſ			3) ft TER LEVEL:			l			WGS 84 □ NAI		] N	AD 27
				measured on						<u>Latitude/Longitude</u> unit make/model:			,
NW	NF			measured on						WAAS enabled?			
	i l	Pump test d	ata: Well w	vater was ft.				□L			ey Topographic Map		
w X	E	after		pumpinggpm				Online Mapper:					
sw	SE	-6		ater was									
	ī	Estimated Y		pumping gpm				6 Elevation:ft. ☐ Ground Level ☐ TOC					
				gpm						Land Survey GPS Topographic Map			
1 m				in. to .						Other			
7 WELL V	VATER TO	BE USED A	AS:										
1. Domestic:		5. □	Public Wa	ter Supply: we	ell ID			10. 🔲 O	il Fie	eld Water Supply: 16	ease		
☐ Househ				g: how many			11. Test Hole: well ID						
☐ Lawn &			•	echarge: well						☐ Uncased ☐ (			
Livesto				g: well ID al Remediation						al: how many bores			
2. ☐ Irrigation 3. ☐ Feedlot			] Air Sparge			Extraction							
4. ☐ Industr			Recovery	∑ ☐ Soi	_	Latraction				(specify):			
						Ves DN	[o ]			nple was submitte			
	disinfected?			itted to KDI	.112:	105 <u></u>	10 1	ii yes, dad	c sai	iipie was subilitie	a	••••	
				C $\square$ Other		CA	SINC	G IOINTS	· _	Glued Clamped	l □ We	lded	☐ Threaded
										in. to			Птещей
	t above land s					lbs./				or gauge No			
TYPE OF S	CREEN OR		ΓΙΟΝ MA	ΓERIAL:									
☐ Steel		less Steel	☐ Fiber	_	PVC			☐ Otl	her (S	Specify)			
Brass		anized Steel			] None ι	used (open l	nole)						
	R PERFORA					l- C4 - [	J D.::	11-3 11-1		O41(C:f)			
Contin		☐ Mill Slot ☐ Key Puncl		auze Wrapped		orch Cut [ nw Cut [		ne (Open F		Other (Specify)	• • • • • • • • • • • • • • • • • • • •		
_										ft., From	ftft	to.	ft.
GRAVEL PACK INTERVALS: From													
Grout Intervals: From													
Nearest source of possible contamination: No potential source of contamination within 200 ft.													
☐ Septic 7			Lateral Line		t Privy			ivestock Pe		☐ Insection			
	☐ Sewer Lines     ☐ Cess Pool     ☐ Sewage Lagoon     ☐ Fuel Storage     ☐ Abandoned Water Well       ☐ Watertight Sewer Lines     ☐ Seepage Pit     ☐ Feedyard     ☐ Fertilizer Storage     ☐ Oil Well/Gas Well												
								crunzer 50	падс	On we	II/Gas w	CII	
Direction fro	m well?			Distance	e from w	ell?				ft.			
10 FROM	TO	I	LITHOLOG	GIC LOG		FROM		TO	LIT	HO. LOG (cont.) or	PLUGO	iINC	INTERVALS
							-						
							-						
						Notes:							
						110163.							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   constructed,   reconstructed, or   plugged													
under my ju	risdiction an	d was compl	leted on (m	no-day-year)		a	nd th	is record	is trı	ie to the best of m	y know	ledg	e and belief.
Kansas Wat	ter Well Con	tractor's Lice	ense No		This W	ater Well l	<b>deco</b> 1	rd was coi	mple	eted on (mo-day-y	ear)	• • • • •	
under the bi	usiness name	Send one convit	O WATER W	ELL OWNER a	nd retain	one for your	record	ls. Fee of \$4	5.00 f	or each <u>constructed</u> we	: ell.		
KS Departm	nent of Health ar	nd Environment	, Bureau of V	Vater, Geology S	Section, 10	000 SW Jack	son St	t., Suite 420,	Торе	eka, Kansas 66612-136	7. Telepl	none	785-296-3565.
Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> <a href="http://www.kdheks.gov/waterwell/index.html">KSA 82a-1212</a>													

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Rick Redd
Doc ID	1430281

## Litholgy

From	То	LithologicLog
0	2	top soil
2	51	brown sandy clay
51	70	fine sand
70	75	sand fine to med coarse small gravel
75	120	brown clay w/ couple sand ledges
120	147	fine sand w/ many clay stringers
147	158	sand fine to med coarse small gravel w/ some clay ledges
158	187	sand fine to med coarse, small gravel
187	189	brown clay
189	220	sand fine to med
220	231	sand fine to med coarse
231	241	brown sandy clay
241	280	blue clay
280	283	fine sand
283	300	blue clay
300	316	sand fine to med coarse
316	344	blue & brown clay w/ couple sand ledges
344	376	sand fine to med coarse
376	387	sand fine to med coarse w/ few fine clay stringers

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Rick Redd
Doc ID	1430281

## Litholgy

From	То	LithologicLog
387	396	sand fine to med coarse
396	401	brown clay
401	408	sand fine to med coarse
408	420	white sandy clay w/ fine sand strips
420	436	fine sand w/ few fine clay stringers
436	456	soapstone & sandstone
456	559	blue shale
559	581	sandstone w/ few soapstone
581	666	sandstone
666	680	red bed