


1 LOCATION OF WATER WELL		Fraction	Section Number		Township Number		Range Number	
County: Haskell		SW 1/4 NW 1/4 SW 1/4	21		T 30 S		R 33 EW	
Distance and direction from nearest town or city? 2 East, 3/4 South of Satanta, Ks.				Street address of well if located within city?				
2 WATER WELL OWNER:		Bill Anton						
RR#, St. Address, Box # :		Board of Agriculture, Division of Water Resources						
City, State, ZIP Code :		Satanta, Ks. 67870						
		Application Number: ----						
3 DEPTH OF COMPLETED WELL 425 ft. Bore Hole Diameter 9.7/8 in. to 425 ft. and in. to ft.								
Well Water to be used as:								
5 Public water supply 8 Air conditioning 11 Injection well								
XXX Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)								
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well								
Well's static water level 255 ft. below land surface measured on October month 2 day 1980 year								
Pump Test Data : Well water was ft. after hours pumping gpm								
Est. Yield 20 gpm: Well water was ft. after hours pumping gpm								
4 TYPE OF BLANK CASING USED:								
5 Wrought iron 8 Concrete tile Casing Joints: Glued XXX Clamped Welded Threaded								
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)								
XXX PVC 4 ABS 7 Fiberglass								
Blank casing dia 5 in. to 345 ft., Dia in. to ft., Dia in. to ft.								
Casing height above land surface 12 in., weight 2.8 lbs./ft. Wall thickness or gauge No 265								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
XXX PVC 10 Asbestos-cement								
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)								
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								
Screen or Perforation Openings Are:								
5 Gauzed wrapped XXX Saw cut 11 None (open hole)								
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
Screen-Perforation Dia 5 in. to 425 ft., Dia in. to ft., Dia in. to ft.								
Screen-Perforated Intervals: From 345 ft. to 425 ft., From ft. to ft., From ft. to ft.								
Gravel Pack Intervals: From 14 ft. to 425 ft., From ft. to ft., From ft. to ft.								
5 GROUT MATERIAL: XXX Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grouted Intervals: From 4 ft. to 14 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
10 Fuel storage 14 Abandoned water well								
1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage 15 Oil well/Gas well								
2 Sewer lines 5 Seepage pit XXXX XXXX 12 Insecticide storage 16 Other (specify below)								
3 Lateral lines 6 Pit privy XXXXX Livestock pens 13 Watertight sewer lines								
Direction from well Northeast How many feet 100 Northeast Water Well Disinfected? Yes XXX No								
Was a chemical/bacteriological sample submitted to Department? Yes No XXX If yes, date sample was submitted month day year: Pump Installed? Yes XXX No								
If Yes: Pump Manufacturer's name Aermotor Model No. SD12-200 HP 2 Volts								
Depth of Pump Intake 294 ft. Pumps Capacity rated at 10 gal./min.								
Type of pump: XXX Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other								
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on October month 20 day 1980 year								
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 252								
This Water Well Record was completed on November month 3 day 1980 year under the business name of Friesen Windmill & Supply Inc. by (signature) [Signature]								
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM TO LITHOLOGIC LOG		FROM TO LITHOLOGIC LOG				
		0 1 Topsoil						
		1 82 Clay						
		82 148 Med. to Lar. Sand						
		148 285 Fine, Med. to Lar. Sand w/Lar. Clay Streaks						
		285 307 Blue Clay						
		307 368 Fine to Med. Sand w/Blue Clay Streaks						
		368 413 Fine to Med. Sand						
		413 428 Yellow Clay						
ELEVATION: Upland								
Depth(s) Groundwater Encountered 1. Not available ft. 3. ft. 4. ft. (Use a second sheet if needed)								
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.								

OFFICE USE ONLY

T

30

R

33

EW

SEC.

21

SW 1/4 NW 1/4 SE 1/4