WATE	R WELL	RECORD	Form WWC-5	Div	ision of Water Re	esources; App. No. 27,10	2
1 LOCA County:	ATION OF	WATER WELL:	Fraction $SE_{14} \leq W_{14}$ or city street address of	SE ½	Section Number	Township Number	Range Number
Distance a	and direction	on from nearest town	or city street address of	well if G	lobal Position	ing System (decimal deg	rees, min. of 4 digits)
located within city? From Sublette, approx. 2 mi. West & 5 mi. South Longitude: 37.40305 Longitude: 100.87666							
2 WAT	ER WELL	OWNER: W.E. La	nd & Cattle	Elevation:	U.8/000		
RR#, \$	St. Address,	, Box # : PO Box	x 864		Datum:		
City, S	state, ZIP C	ode : Sublette	e, Ks, 67877		Data Collection	Method: GPS	
		L'S 4 DEPTH OF	COMPLETED WEL	L <u>485</u>		ft.	
LOCA	MON I AN "X" I	N Donth(a) Groun	dwater Engayetered 1		Δ.	2 2 2	•
	ION BOX	WFIL'S STAT	CIC WATER I EVEL	302 A	II	The second of mode	II.
SECI	N	Pumr	test data: Well water	Was 3	. oelow land su 3.6 ft after	A hours numn	ing 1200 com
	i	Est. Yield	dwater Encountered 1 TIC WATER LEVEL test data: Well water gpm: Well water	was	ft. after	hours pump	ing gpm
NV	v	WELL WATE	R TO BE USED AS: 5	Public wa	ter supply 8	Air conditioning 11 In	niection well
		11 1	T1. 11				er (Specify below)
W Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
⊢sy							
لـــا	Was a chemical/bacteriological sample submitted to Department? Yes No x; If yes, mo/day/y						
S Sample was submitted Water Well Disinfected? Yes x No 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped							
5 TYPE	OF CASI	NG USED: 5	Wrought Iron	8 Concret	te tile CA	ASING JOINTS: Glued	Clamped
USte	eel 70	3 RMP (SR) 6	Asbestos-Cement	Other (s	specify below)	Welde	d <u>x</u>
2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 16 in. to 485 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 12 in., Weight 42 lbs./ft. Wall thickness or gauge No250 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specific)							
Cosing height above land symbols 12 in William in to ft., Dia in to ft.							
TYPE OF SCREEN OR PERFORATION MATERIAL.							
Screen of Perforation Material: Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OF PERFORATION OPENINGS ARE:							
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 330 ft. to 420 ft. From 450 ft. to 480 ft.							
SCREEN-PERFORATED INTERVALS: From 330 ft. to 420 ft. From 450 ft. to 480 ft.							
From ft. to ft. From ft. to							o ft.
GR	AVEL PA	CK INTERVALS:	From 20	ft. to	410 ft.	From 430 ft. t	o 485 ft.
From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout (3)Bentonite 4 Other							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 0 ft. to 20 ft. From ft. to ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: None Observed							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well							
Direction from well? How many feet?							
FROM	TO		OGIC LOG	FROM	ТО	PLUGGING INTI	RVAIS
0	2	Top Soil				12000MG IIVI	ACCINED
<u>2</u> 67	67	Brown Sandy Clay					
191	191 196	Brown Sandy Clay	se Sand, Small Gravel				
196			nd, Sm-Med. Gravel				
229	234	Gray Clay					
234	250	Fine-Med. Coarse	Sand, Small Gravel				
250 260	260 343	Brown Sandy Clay	, Small Sand Beds Sand, Clay Stringers	ļ			
343	346	Fine-Med. Few Cr.	se Sand, Clay Stringers		<u> </u>		
346	374	Fine to Medium Co			1		
374	385	Fine-Med. Coarse	Sand, Clay Stringers				
385 405	405	Fine to Medium Co					
420	420 452		Sand, Gravel Ledges Grvl Strps, Sand Beds	 	 		
452	480	Fine Sand, Clay St		 	 		
480	485	Brown Sluffing Cla		1	1		

TONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/10/2009 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/year) 3/31/2009 under the business name of Henkle Drilling & Supply Co., Inc. by (signature) The Line of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.