WATER WELL RECORD		Form W	Form WWC-5 Division of Wat			r Resources App. N	26,304		
1 LOCATION OF WATER WELL:			Fraction		Secti		Range Number		
County: Haskell			1/4 SW 1/4 NV	V 1/4 SE 1/2	4	12	T 30 S	R 33 □E 🗹 W	
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here					Latit	Latitude: .37.45030 (in decimal degrees)			
From Satanta, approx. 3 mi. East						Longitude: 100.87950 (in decimal degrees)			
						Elevation:			
2 WATER WELL OWNER: Chester Mayhew						Collection Method:			
RR#, Street Address, Box #: PO Box 977						GPS unit (Make/Model:)			
City, State, ZIP Code : Sublette, Ks 67877						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy:									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 675									
SECTION BOX: Depth(s) Groundwater Encountered (1)									
SECTION BOX:  Depth(s) Groundwater Encountered (1)									
Pump test data: Well water was . 994ft. after .4 hours pumping . 1527									
EST. YIELDgpm. Well water wasft. after									
W   E Bore Hole Diameter 24 in. to .675 ft., and in. to ft.									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
-sw A-se. Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
S If yes, mo/day/yr sample was submitted									
Water well disinfected? Ves No									
5 TYPE OF CASING USED:  Steel  PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .16 in. to .675 ft., Diameter in. to ft., Diameter ft.									
Casing the lend surface. 12 in., Weight 42 lbs./ft., Wall thickness or gauge No250									
1 YPE OF SCREEN OR PERFORATION MATERIAL:									
✓ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot									
Continuous slot									
SCREEN-PERFORATED INTERVALS: From									
From 534 ft to 544 ft From 560 ft to 670 ft									
GRAVEL PACK INTERVALS: From20 ft. to450 ft., From450 ft. to675 ft.									
Fromft. toft. From									
6 GROUT MATERIAL: Neat cement Cement grout Pentonite Other									
Grout In		From .9 ft. to		n	. ft. to	ft.,	From	ft. toft.	
		est source of possible conta	mination:						
					pens	Insecticide		ner (specify below)	
Watertight sewer lines Seepage pit Feedyard				Fuel stors	Fuel storage Abandoned water well Fertilizer storage Oil well/gas well				
Direc	tion from	m well South & West	******	Distance	from w	ell 282 . & .	5`	***************************************	
FROM	ТО	LITHOLOG	IC LOG	FROM	ТО			JGGING INTERVALS	
0	2	Top Soil		404	414	Fine Sand,			
2	44	Brown Sandy Clay, Sai	nd Strips	414	430	Yellow Soa	apstone, Brown	Rock Strips	
44	76	Fine Sand		430	475		ndstone Strips		
76	85	Fine to Med. Crs Sand.		475	488		& Soapstone		
85	93	Fine Sand, Few Clay S		488	534	Soapstone	, Sandstone Lec	lges	
93	149	Brown Sandy Clay, Fev		534	546	Sandstone	& Soapstone		
149	157	Fine to Medium Coarse Sand		546	558	Soapstone			
157	161	Brown Sandy Clay		558	671	Sandstone	le		
161	386	Fn-Md Crs Sand, Grvl,	671	680	Red Bed				
386 404 White Clay, Sand Strips									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🛛 constructed, 🗆 reconstructed, or 🗀 plugged									
under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief									
Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/year) 6/25/2009									
under the business name of Henkle Drilling & Supply Co., Inc. by (signature) Driving for the business name of Henkle Drilling & Supply Co., Inc.									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
reterpione /85-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
nup/www.kanexs.gov/waterweis/sidex.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									