KOLAR Document ID: 1379169

WATER WEI		ECORD Correction	Form V	WWC-				sion of Wate arces App. N			] Well II	<sup>D</sup> [	
1 LOCATION				Fraction				ion Numbe		Township Numb			ge Number
County:	01 111	TILIK WEL		1/4	1/4 1/4	1/4	Beet	ion i vanio		T S	R	turre	□E □W
							Rura	ural Address where well is located (if unknown, distance and					
Business:						direction f	irection from nearest town or intersection): If at owner's address, check here:						
Address: Address:													
City:			State:	ZIP:									
3 LOCATE WEI	L												
WITH "X" IN					D WELL:		ft.						
SECTION BOX	<b>X</b> :				red: 1)		Dry Well Datum: WGS 84 NAD 83 NAD 27						
N					it., or 4) [ EL:						AD 27		
					d on (mo-day					unit make/model:	•		,
NW NE -					d on (mo-day					WAAS enabled?			
		_			1			☐ Land Survey ☐ Topographic Map				• ,	
w <mark>X      </mark>	E	after			;				nline	e Mapper:			
SW SE -		ofter			· · · · · · · · · · · · · · · · · · ·								
		Estimated Y			,	gpiii		6 Eleva	tion	ı:ft	. 🔲 Gro	und	Level   TOC
S	_				ı. to	ft. and		Sourc	<u>e</u> : 🗌	Land Survey	GPS 🔲	To	pographic Map
1 mile					n. to					Other			
7 WELL WATE	R TO	BE USED A	AS:										
1. Domestic:					y: well ID					eld Water Supply: 16			
Household					nany wells?								
Lawn & Garde	en			_	well ID								
☐ Livestock 2. ☐ Irrigation					Oation: well II					al: how many bores  Loop  Horizont			
3. ☐ Feedlot			] Air Sparge		Soil Vapor					Loop  Surface Di			
4. ☐ Industrial			Recovery		Injection					(specify):			
Was a chemical/l	bacteri	ological san	nple subm	itted to	KDHE? □	Yes $\square$	No	If yes, date	e sar	nple was submitte	d:		
Water well disinfe					· <u>—</u>	_		<i>J</i> ,		r			
8 TYPE OF CAS	SING	U <b>SED:</b> □ S	teel PV	C 🔲 Oth	er	Ca	ASIN	G JOINTS	S: 🗆	Glued Clamped	d ☐ Wel	ided	☐ Threaded
Casing diameter													
Casing height above					ght	lbs	./ft.	Wall thick	kness	s or gauge No			
TYPE OF SCREE										g (c)			
		less Steel mized Steel	☐ Fiber ☐ Conc	_	☐ PVC ☐ None ι	uand (amam	holo)		ner (S	Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • •	•••••
SCREEN OR PE					☐ Nolle (	iseu (open	noie)						
☐ Continuous S		☐ Mill Slot		auze Wraj	oped $\Box$ To	orch Cut	□ Dri	illed Holes	П	Other (Specify)			
☐ Louvered Shu		☐ Key Puncl						one (Open H					
SCREEN-PERFO	RATE	D INTERVA	ALS: From	1	ft. to	ft., Fr	om	ft. to	o	ft., From	ft.	. to .	ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.													
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
Grout Intervals: From													
Nearest source of possible contamination:  ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage													
☐ Seyer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well													
☐ Watertight Sev			Seepage Pit	[	☐ Feedyard			Fertilizer Sto		e □ Oil We	:ll/Gas W	ell	
☐ Other (Specify)													
			ITHOLOG							ft. HO. LOG (cont.) or		INIC	CINTEDVALC
10 FROM TO	,		ATHOLOG	FIC LUG	<u> </u>	FRO	VI	TO	LH	HO. LOG (cont.) of	PLUGG	IIIC	INIERVALS
						<u> </u>							
						1							
	Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed,  reconstructed, or  plugged													
under my jurisdiction and was completed on (mo-day-year)													
Kansas Water We	ell Cont	ractor's Lice	ense No		This W	ater Well	Reco	ord was coi	mple	eted on (mo-day-y	ear)		
under the business name of													
KS Department of F	S Health an	end one copy to d Environment	OWATER W . Bureau of V	ELL OWN Vater, Geol	NEK and retain ogy Section 10	one for you 000 SW Jac	r recor kson S	as. Fee of \$5 st., Suite 420	0.00 f Tope	or each <u>constructed</u> we eka. Kansas 66612-136	и. 57. Teleph	ione	785-296-3565
_		KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> KSA 82a-1212							- ~PC				

Form	WWC5			
Contractor	Hydro Resources Mid Continent, Inc.			
Well Owner	Charles Withers			
Doc ID	1379169			

## Litholgy

From	То	LithologicLog
0	2	top soil
2	5	silty clay
5	12	sandy clay
12	23	clay
23	76	brown sandy clay
76	84	sand fine to med
84	112	tan sandy clay
112	116	sand fine to med
116	124	tan sandy clay
124	138	sand fine med coarse
138	170	sand fine med coarse, some gravel
170	175	cemented sand
175	193	sandy clay w/ few sand strips
193	195	cemented sand
195	207	sand fine med coarse small gravel
207	239	sand fine to coarse, small- med gravel
239	243	sandy clay
243	296	sand fine to coarse, small to med gravel
296	302	sluffy clay
302	314	sand fine & clay
314	411	sand fine med coarse
<b>O</b>	111	

Form	WWC5			
Contractor	Hydro Resources Mid Continent, Inc.			
Well Owner	Charles Withers			
Doc ID	1379169			

## Litholgy

From	То	LithologicLog
411	444	sand med coarse small gravel w/ some white rock
444	456	clay
456	462	sand fime med coarse small gravel w/ few white rock
462	477	sand fine w/ clay strips
477	510	sand fine med
510	533	sand med coarse w/ white rock
533	536	clay
536	548	sand coarse small gravel some white rock
548	554	clay
554	568	sand med coarse small to med gravel
568	576	clays & red bed
576	583	sand coarse
583	600	red bed