				R WELL RECORD F	orm WWC-5	KSA 82	2a-1212			
1 LOCATIO	ON OF WAT	TER WELL:	Fraction		Sect	ion Numbe	Township Nur	nber	Range N	lumber
County:			SE ¼		1/4	21	т 30	S	R 34	E/W
Distance an	nd direction	from nearest town	or city street ac	ddress of well if located	within city?					
									**	
2 WATER	WELL OW	NER: Archie	Rooney	Murfin Dri	lling, 1	inc.				
		* # : Rt. 1							Division of Wat	er Resources
City, State,		Satant	a, KS 678	70 Colby, KS	67701		Application I	Number:	980071	
3 LOCATE	WELL'S L	OCATION WITH 4	DEPTH OF CO	OMPLETED WELL	440	. ft. ELEV	ATION:			
AN "X" 	N SECTIO	A BOX:	- Depth(s) Groundy	vater Encountered 1.		. <i>.</i> ft.	2	ft. 3	3 <i></i>	
ī [1	· · ·	WELL'S STATIC	WATER LEVEL 2	35 ft. be	low land s	urface measured on r	no/dav/vr		
	1									
Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm										
'. I	1 1 1 1 1									
₩. w	W WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
-	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify bel								halow)	
	W X								•	
	!	! 🛪],	2 Irrigation		_	-				
Į L				acteriological sample su	omitted to Del				•	· ·
- T/DE 0	5 51 4446 6		nitted				later Well Disinfected		No No	<u>X</u>
		CASING USED:		5 Wrought iron	8 Concret		CASING JOIN			
1 Stee	el -	3 RMP (SR))	6 Asbestos-Cement	9 Other (s	specify belo	OW)		ed	
2 PVC	<u> </u>	4 ABS	380	7 Fiberglass					aded X	
	,			in., weight		Ibs	s./ft. Wall thickness or	gauge N	0	
TYPE OF S	SCREEN O	R PERFORATION	MATERIAL:		7 PVC	;	10 Asbe	stos-ceme	ent	
1 Stee	el	3 Stainless s	steel	5 Fiberglass	8 RMF	SR)	11 Other	(specify)		
2 Bras	ss	4 Galvanized	d steel	6 Concrete tile	9 ABS	;	12 None	used (op	en hole)	
SCREEN O	R PERFOR	RATION OPENING	S ARE:	5 Gauzeo	wrapped		8 Saw cut		11 None (ope	en hole)
1 Con	ntinuous slo	t 3 Mill	slot	6 Wire w	apped		9 Drilled holes			
2 Lou	vered shutt	er 4 Key	punched	7 Torch o	ut		10 Other (specify)	<i>.</i>		
SCREEN-PI	ERFORATE	D INTERVALS:	From	380 ft. to	440	ft Fr	om			
			From	ft. to						
GI	RAVEL PA	CK INTERVALS:	From	20 ft. to	440	ft Fr	om	ft. t	0	ft
-			From	ft. to		ft., Fr	om	ft. t	0	ft.
6 GROUT	MATERIAL	· 1 Neat ce			3 Benton		4 Other			
Grout Interv			to 20	ft., From						
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandone 1 Septia took 11 First standard 12 Cit well/C								il well/Gas wel		
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage										
				8 Sewage lagoo	ri		_	16 0	ther (specify be	elow)
	•	er lines 6 Seepag	ge pit	9 Feedyard			ecticide storage .			
Direction fro		NW	LITHOLOGIC L	00	I FROM I		any feet? 150'	GGING I	NTERVALS	
FROM	TO 2	Surface	LITHOLOGIC L	.00	FROM 247	TO 255	Caliche & Sa		MIERVALO	
0	2	Surface			255	280	Sand & Grave		av & Cali	che
2	15	Sandy Silt				318	Sand & Grave			
15	75			& Sand Strks.	280			-, CI	ay a carr	
75	130			Clay Lenses	318	327	Rock Layer	.1		
130	131	Caliche/Ha			327	345	Sand & Grave			
131	150	Clay & San	d Strks.		345	355	Clay & Sand	otrks	•	
150	163	Sand & Gra			355	365	Sand			
163	175	Clay & San			365	405	Clay & Calid			
175	219	Sand & Gra	vel/Clay 8	Caliche Strks	• 405	420	Clay & Fine	Sand	Strks.	
219	230	Caliche Cl			420	440	Shale			
230	234	Sand & Gra	-							
234	236	Clay								
236	240	Clay Sand								
240	242	Clay								
		-	1770]							
242	247	Sand & Gra			L					
7 CONTRA	ACTOR'S C	OH LANDOWNER'S	S CERTIFICATIO	ON: This water well was	(1) construct	<u>ted, (</u> 2) red	constructed, or (3) plu	gged und	ler my jurisdict	on and was
completed o	on (mo/day/	year)	3–31	. - 98		and this red	ord is true to the best	of my kn	owledge and be	elief. Kansas
Water Well	Contractor's	s License No	554	This Water Wel	Record was	completed	on (mo/day/yr)		: 100 m	
under the bu	usiness nar	me of Woofte	er Pump & V	Well, Inc.		by (sign	ature) Cku	(1.)	NO DE SAL	
				RMLY and PRINT clearly. Pleas						epartment
				-0001. Telephone: 913-296-554						