				8-4-01	Vacher 4	'A ' '	
WATEI	D WELL	RECORD	Form WWC-5	ACHNELL Division of	Wather Passurass Ann N	2008 0264	
		F WATER WELL:	Fraction	Section Numb	er Township Numb	er Range Number_	
l		kell			T 30 S		
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)							
located within city? S/W corner of Satanta at Rd FF 1.7S Latitude:							
on Rd FF 50' E to stake with red flag WATER WELL OWNER: OXY USA Inc				Longitude:			
2 WATER WELL OWNER: OXY USA Inc RR#, St. Address, Box # : P.O. Box 2				Elevation:			
			TX 75001-2768	Datum:	M-41 1-		
				Data Collecti			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL							
į.	H AN "X"	IN Depth(s) Groundwater	Encountered (1)4.0.0	ft. (2)	ft. (3	3) ft.	
	TION BOX	X: WELL'S STATIC WA	TER LEVEL3.3,O	ft. below land sur	face measured on mo/o	lay/yr627-08	
	N	Pump test data	: Well water was. 3.5.0	ft. after	🖊 hours pumpin	g / gpm	
		Est. Yield. [: Well water was	ft. after	hours pumpin	g gpm	
NW	V	- 1 1 D (* 2 E)	E USED AS: 5 Public water				
w		E 1 Domestic 3 Fee 2 Irrigation 4 Ind	ustrial 7 Domestic (lawr		Dewatering 12		
	'	1 0	ustriai / Domestic (lawi	i & garden) 10	Monitoring wen	•••••	
X SW	Was a chemical/bacteriological sample submitted to Department? Yes Nox; If yes, mo/day/yrs						
Sample was submitted							
	S	,					
5 TYPE	E OF CAS	ING USED: 5 Wrought	Iron 8 Concrete tile	e CA:	SING JOINTS: Glued	Clamped	
1			Cement 9 Other (speci	fy below)	Welde	d	
	PVC 4 ABS 7 Fiberglass						
		eter6 in. to400.					
		e land surface24		lbs./ft. Wal	Il thickness or guage N	oSDR21316	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 VC 9 ABS 11 Other (Specify)							
1 Steel 3 Stainless Steel 5 Fiberglass 7 VC 9 ABS 11 Other (Specify)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From340 ft. to							
From							
From							
6 GROUT MATERIAL: (1) Neat cement 2 Cement grout 3 Bentonite 4 Otherhole.plug							
Grout Intervals: From1 ft. to25 ft., From ft. to ft., From ft. to ft.							
		source of possible contaminat			2 1	16 041(
	Septic tank Sewer line				3 Insecticide Storage 4 Abandoned water we	16 Other (specify below)	
		sewer liggs 6 Seepage pit			5 Oil well/gas well		
FROM	ТО	LITHOLOGIC			PLUGGING II		
0	1	Surface					
1	108	Clay					
108	157	Sand and gravel	and the same of th				
_157	195	Sand			W. P.		
195	210	Sand and clay strea	aks				
210	230	Clay					
_230	340	Sand					
340	400	Sand and gravel					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year). 6-27-08 and this record is true to the best of my knowledge and belief							
Kansas Water Well Contractor's License NoKWCL. 430 This Water Well Record was completed in (mo/day/year). 62.7							
under the business name of Howard Drilling Box 806 Beaver, Okby7 \$9 grature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in plants, under the business name of Howard Drilling Box 806 Beaver, Okby7 \$9 grature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in Stanks under the force answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone							
785-296-5		Department of Health and Environment of Health and Health an					
http://www.kdhe.state.ks.us/geo/waterwells.							