KOLAR Document ID: 1549958

	WELL R	ECORD Correction		WWC-5 e in Well Use				on of Waterces App. N			 Well I	_ [
	TION OF WA			Fraction				on Numbe		Township Numb			ge Number
County		TIER WE		1/4 1/2	1/2		occir	on i vanio		T S	R		□E □W
•						Street or	eet or Rural Address where well is located (if unknown, distance and						
Business:						direction fro	irection from nearest town or intersection): If at owner's address, check here:						
Address: Address:													
City:			State:	ZIP:									
3 LOCAT	E WELL						_						
WITH "				IPLETED W			. ft.						
SECTIO	N BOX:			Encountered: 1						e:			
N	1			8) ft., TER LEVEL: .						WGS 84 □ NAI		_] N.	AD 27
				measured on (<u>Latitude/Longitude</u> unit make/model:			,
NW	NF -			measured on (WAAS enabled?			
	i l	Pump test d	ata: Well w	ater was				☐ Land Survey ☐ Topographic Map					
w	E	after		pumpinggpm				Online Mapper:					
SW	SE	C.		ater was									
	ī	Estimated Y		pumping	•••••	6 Elevation:			ı:ft	. \square Gro	und	Level ☐ TOC	
	S			gpm in. to ft. and						Land Survey			
1 n		Bore Hole I		in. to .						Other			
7 WELL V	WATER TO	BE USED A						I					-
1. Domestic:				ter Supply: we	ell ID			10. □ Oi	il Fie	eld Water Supply: 16	ease		
☐ Housel	nold	6. 🗆	Dewaterin	g: how many v	wells?			11. Test l	Hole	: well ID			
☐ Lawn &				echarge: well l									
Livesto				g: well ID						al: how many bores			
2. ☐ Irrigati 3. ☐ Feedlo			nvironmenta] Air Sparge							sed Loop			
4. ☐ Industr			Recovery	: ☐ Son	l Vapor Extraction				Open Loop Surface Discharge Inj. of Water Other (specify):				
						V DN	- T			nple was submitte			
	disinfected?			illea to KDF	1E:	res 🗀 N	0 1	i yes, date	e sai	npie was submitte	:a:	• • • • •	
				C D Other		СЛ	SINC	TOINTS	٠. ٦	Glued Clamped	1 🗆 Wa	ldad	☐ Threaded
										in. to			Tilleaded
	it above land s					lbs./i				s or gauge No			
	SCREEN OR												
☐ Steel	☐ Stain	less Steel		_] PVC			☐ Otl	ner (S	Specify)			
Brass	_	anized Steel] None ι	ised (open l	iole)						
	OR PERFORA								_				
		☐ Mill Slot ☐ Key Puncl		auze Wrapped		orch Cut [w Cut [lled Holes ne (Open H		Other (Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • • •	•••••
_										ft., From	ft	to	ft
										ft., From			
9 GROUT	MATERIA	L: Neat of	rement	Cement grout	□ B ₆	entonite [7 Oth	er	····				
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other													
	rce of possible	e contaminati	on: No	potential source	ce of cor	ntamination	withi	n 200 ft.					
☐ Septic '			Lateral Line		Privy			ivestock Pe		☐ Insection			
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well □ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well													
	ght Sewer Lin						∐ Fe	ertilizer Sto	orage	e 🔲 Oil We	ell/Gas w	ell	
☐ Other (Specify)													
10 FROM	ТО		ITHOLOG		o mom w	FROM				HO. LOG (cont.) or		JINC	INTERVALS
_				<u> </u>						(1.2.17)			
									-		· <u></u> -		
						 							
						Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged													
										onstructed, $\ \ \ \ \ $ reco			
Kansas Wa	ter Well Con	tractor's Lice	ense No		This W	ater Well I	Recor	rd was con	nple	eted on (mo-day-y	ear)		
under the b	usiness name	of	<u></u>	<u></u>		<u></u>	<u></u>	<u></u>		For each constructed we		<u></u>	
W0.5		Send one copy to	WATER W	ELL OWNER as	nd retain	one for your	record	ls. Fee of \$5	5.00 f	or each constructed we	ell.		#05.00 £ 25 ± 5
_	nent of Health ar ttp://www.kdhek			vater, Geology S	ection, 10	JUU SW Jack	son St.	., Suite 420,	rope	eka, Kansas 66612-136			785-296-3565. A 82a-1212
vion us at II	L.p.// w w w.Kuilel	water wet	II III CA.IIIIII									170	U2u 1212

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1549958

Lithology

From	То	LithologicLog
0	17	SANDY CLAY
17	21	CALICHE
21	60	CLAY W/ TR. CALICHE LENSES
60	76	FINE SAND
76	99	SANDY CLAY W/ FEW LIME ROCK LAYERS
99	180	FINE/MED/COARSE SAND & SM GRAVEL
180	218	F/M/C SAND, SM GRAVEL
218	247	CLAY W/ TR. CALICHE LENSES
247	290	F/M/C SAND & SM. GRAVEL
290	303	CLAY W/ TR. CALICHE LENSES
303	325	FINE/MED/COARSE SAND
325	338	CLAY
338	354	F/M/C SAND, F/TR MED GRAVEL
354	364	CLAY
364	382	F/M/C SAND
382	401	SANDY CLAY W/ MED SAND STRINGER
401	431	SANDY CLAY
431	475	F/M SAND
475	477	SOAPSTONE

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1549958

Lithology

From	То	LithologicLog
477	529	SANDSTONE
529		SANDSTONE & SOAPSTONE
549	568	REDBED