


USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County Grant	Township name Sullivan	Fraction SE 1/4	Section number 3	Town number T305	Range number R35W
Distance and direction from nearest town or city: 6W 2W of SATANNA				3 Owner of well: Willis Christian Address: RR 2 Ulysses, Kansas		
Locate with "X" in section below: N  W E S 1 Mile			Sketch map:			4 Well depth: 383 ft. Date of completion 2/18/75 Well diameter 26 in.
2 Type and color of material			From	To	5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
Top Soil				0	6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>	
Overburden				2	7 Casing: Material Steel Height: above land Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. Diam. 16 in. Weight 42.5 lbs./ft. L 16 in. to 383 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No — in. to — ft. depth	
Yellow Clay & Gravel				120	8 Screen: Manufacturer L.B Foster Type Steel Dia. 16" Slot/gauze 1/8" Length 3" Set between 120 ft. and 383 ft. Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 1/8 to 1/4	
Coarse Sd.				220	9 Static water level: 210 ft. below land surface Date 2-20-75	
Coarse Sd. & Blue Clay				260	10 Pumping level below land surfaces: NA — ft. after — hrs. pumping — g.p.m. — ft. after — hrs. pumping — g.p.m. Estimated maximum yield — g.p.m.	
Coarse Sd. & Clay Strks.				285	11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date —	
					12 Well head completion: <input type="checkbox"/> Pitless adapter NA <input type="checkbox"/> Inches above grade	
					13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 0 ft. to 10 ft.	
					14 Nearest source of possible contamination: ft. — Direction — Type — Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
					15 Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name — Model number — HP — Volts — Length of drop pipe — ft. capacity — g.m.p. Type: Pump Set By Third Party <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
16 Remarks: elevation			17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. KTM DRILLING, INC. 225 Business name Box 1385 Sullivan, Okla. License No. — Address Box 1385 Sullivan, Okla. Signed Sherry Neke Date 3/1/75 Authorized representative			
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley			Done 8a Johnson for Street 164 14 Pasture Land			

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5