				R WELL RECORD	Form WWC-5	KSA 828	a-1212			
LOCATIO	ON OF WAT	ER WELL:	Fraction	0 11 0	Sec	ion Number	Township	Number	Range Number	
County: G			1/4	1/4		3	T 30	S	R 35 E/W	
Distance ar	nd direction	from nearest tow	n or city street a	ddress of well if located	I within city?					
FROM OXY	M.L.P.	NICEWANDE	ER. GO TO C	O. RD SOUTH TO	STOP SIG	GN 3/4 W	EST_NORTHW	EST INTO	LOC.	
		NER: MINTER					Donn	44		
		# : W. HWY					Board of	griculture.	Division of Water Resources	
			CITY, KS	67016						
		1			220					
AN "X"	IN SECTION	1 DOV.								
		<u> </u>								
₹ l	- !	!!!							• • • • • • • • • • • • • • • • • • • •	
	_ \w	- NE	Pump	test data: Well wate	r was	. 210 . ft. a	after 1	hours put	mping 80 gpm	
1 F	- ''''		Est. Yield 80	gpm: Well wate	rwas	ft. a	after	hours pur	mping gpm	
<u>•</u>	_ i		Bore Hole Diame	eter in. to .	320		and	<i></i> in.	toft.	
₩ ₩ -	ı	1	WELL WATER T	O BE USED AS:	5 Public wate	r supply	8 Air conditioning	ng 11	Injection well	
- I	1	1	Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering	12	Other (Specify below)	
-	- SW	SE	2 Irrigation				-			
} I	₩!		Ū		-	-			mo/day/yr sample was sub	
ł L		<u>'</u>		bacteriological sample s	abilitied to be	•	ater Well Disinfed	•	* *	
-1		ASING USED:	mitted	6 144	2.0					
<u>.</u>				5 Wrought iron					d x Clamped	
1 Ste	-	3 RMP (SF	•	6 Asbestos-Cement		• • •	•		ed	
② →∨		4 ABS		•					aded	
									in. to ft.	
Casing hei	ght above la	and surface	. 24	.in., weight 2 . 902	<u> </u>	Ibs	./ft. Wall thicknes	s or gauge N	o . 265 · SDR · 21 ·	
TYPE OF	SCREEN O	R PERFORATION	N MATERIAL:		(73 °V	С	10 A	sbestos-ceme	ent	
1 Ste	el	3 Stainless	s steel	5 Fiberglass	8 RM	P (SR)	11 C	ther (specify)		
2 Bra	nss	4 Galvaniz	ed steel		9 AB	S	12 N	one used (op	en hole)	
SCREEN (OR PERFOR	RATION OPENIN	GS ARE:	5 Gauze	ed wrapped			٠.	11 None (open hole)	
	ntinuous slo		ill slot		wrapped		9 Drilled hole		(apart many	
	uvered shutt			7 Torch						
						4 -		• .		
SCHEEN-F	EHFORATI	ED INTERVALS:							o	
									o	
, G	RAVEL PA	CK INTERVALS:							o	
			From	ft. to		ft., Fro	om	ft. t	o ft.	
6 GROUT		.: 1 Neat o	cement	2 Cement grout	3 Bento	nite (4	Other HO			
Grout Inter	vals: Fro	m	.ft. to 20	ft., From	ft.	to	ft., From		ft. to	
What is the	e nearest so	ource of possible	contamination:			10 Live	stock pens	14 A	bandoned water well	
1 Se	1 Septic tank 4 Lateral			I lines 7 Pit privy			l storage	15 Oil well/Gas well		
2 Sewer lines 5 Cess p			oool 8 Sewage lagoon			12 Fert	ilizer storage	16 C	16 Other (specify below)	
3 Wa	atertight sew	er lines 6 Seep	age pit	9 Feedyard		13 Inse	cticide storage			
Direction f	•	,	•	•		How m	any feet?			
FROM	TO		LITHOLOGIC	LOG	FROM	ТО		PLUGGING I	NTERVALS	
0	3	TOP		· · · ·						
3	31	CLAY						, , , , , , , , , , , , , , , , , , , ,		
		T	TAV CODEARC	2						
31	82		LAY STREAKS	2						
82	102	CLAY								
102	180		LAY STREAKS	<u></u>					•	
180	308	SAND & GR	AVEL							
308	320	CLAY								
									,	
,										
				-					MATTER 1	
					1					
						L	L			
7 CONTE		OD I ANDOMNE					constructed or /3) plugged up		
	RACTOR'S	OH LANDOWNE	R'S CERTIFICAT	ION: This water well w	ay (1) constru	cted, (2) red	constructed, or (c	o) piuggea uni	der my jurisdiction and wa	
completed	on (mo/day	/year) 5-	26-94			and this red	ord is true to the	best of my kr	nowledge and belief. Kansa	
completed Water Wel	on (mo/day I Contractor	/year)5.→ 's License No	26-94 KWWCL-430	This Water V	/ell Record wa	and this red as completed	cord is true to the d on (mo/day/yr)	best of my kr	nowledge and belief. Kansa	
completed Water Wel under the	on (mo/day I Contractor business na	/year) 5 - 's License No me oHOWARD	26-94 KWWCL-430 DRIG.CO.BO	This Water V	Vell Record wa	and this red as completed by (sign	cord is true to the d on (mo/day/yr) nature)	best of my kr	der my jurisdiction and was nowledge and belief. Kansas copies to Kansas Department	