

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County <u>Osage</u>	Township name <u>SULLIVAN</u>	Fraction <u>NE 1/4</u>	Section number <u>12</u>	Town number <u>T 30S</u>	Range number <u>R 35W</u>
Distance and direction from nearest town or city: <u>WEST 2N 1E of SATANVA</u>				3 Owner of well: <u>TERRY CHRISTIAN</u>		
Street address of well location if in city:				Address: <u>R.R. 2, Ulysses, KS</u>		
Locate with "X" in section below:		Sketch map:				
N						
W						
S						
1 Mile						
2	Type and color of material	From	To	4 Well depth: <u>228</u> ft. Date of completion: <u>2-28-15</u> Well diameter <u>2 1/2</u> in.		
	Top Soil		2	5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
	Overburden	2	221	6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well		
	Clay, Sand	221	251	7 Casing: Material <u>Steel</u> Height: above/below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface <u>1 1/2</u> in. Dia. <u>4 1/2</u> in. Weight <u>12.5</u> lbs./ft. to <u>458</u> ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
	Sand & Gravel	251	346	8 Screen: Manufacturer <u>L. B Foster</u> Type <u>Steel</u> Dia. <u>16"</u> Slot/gauze <u>1/8"</u> Length <u>3" (230')</u> Perf. Set between <u>208</u> ft. and <u>438</u> ft. Fittings: <u>1 1/4"</u> Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material		
	Sand & Gravel	346	360	9 Static water level: <u>228</u> ft. below land surface Date <u>2-28-15</u>		
	Clay Strks., Sand	360	409	10 Pumping level below land surfaces: <u>NA</u> ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.		
	Clay Strks. Sand	409	440	11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date		
	Clay Strks. Sd.	440	480	12 Well head completion: <input type="checkbox"/> Pitless adapter <u>NA</u> <input type="checkbox"/> Inches above grade		
				13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From <u>2</u> ft. to <u>10</u> ft.		
				14 Nearest source of possible contamination: ft. Direction Type Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
				15 Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name Model number HP Volts Length of drop pipe ft. capacity g.m.p. Type: <u>Pump Set By Third Party</u> <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
16 Remarks: elevation				17 Water well contractor's certification:		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input checked="" type="checkbox"/> Upland <input type="checkbox"/> Valley				This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>KTM DRILLING, INC. 225</u> Business name License No. Address <u>Box 1385, Guyton, Okla.</u> Signed <u>Robert Huber</u> Date <u>3/1/15</u> Authorized representative		
8c Johnson Inc. Steel 16" 11000 SLOTT 438-458' 14. Pasture Land						

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5