

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

Well ID

Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL: County: Grant	Fraction SW ¼ NW ¼ NW ¼ NE ¼	Section Number 9	Township Number T 30 S	Range Number R 35 <input type="checkbox"/> E <input checked="" type="checkbox"/> W
---------------------------------------------------	---------------------------------	---------------------	---------------------------	---------------------------------------------------------------------------------------

2 WELL OWNER: Last Name: Zulauf First: Zach Business: Address: 8454 East Rd 20 Address: City: Ulysses State: KS ZIP: 67880	Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: <input type="checkbox"/> S Rd R & 20 Intersection 4 East South 400'
-----------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

3 LOCATE WELL WITH "X" IN SECTION BOX:
N

	X		
-- NW --	-- NE --		
-- SW --	-- SE --		
W			E
S			

----- 1 mile -----

4 DEPTH OF COMPLETED WELL: 480 ft.
Depth(s) Groundwater Encountered: 1) 253 ft.
2) ft. 3) ft., or 4) Dry Well
WELL'S STATIC WATER LEVEL: 253 ft.
 below land surface, measured on (mo-day-yr) 07/30/2021
 above land surface, measured on (mo-day-yr)
Pump test data: Well water was ft.
after hours pumping gpm
Well water was ft.
after hours pumping gpm
Estimated Yield: 30 gpm
Bore Hole Diameter: 10.5 in. to 480 ft. and
..... in. to ft.

5 Latitude: 37.459426 (decimal degrees)
Longitude: -101.152804 (decimal degrees)
Datum: WGS 84 NAD 83 NAD 27
Source for Latitude/Longitude:
 GPS (unit make/model:)
(WAAS enabled? Yes No)
 Land Survey Topographic Map
 Online Mapper:

6 Elevation: ft. Ground Level TOC
Source: Land Survey GPS Topographic Map
 Other

7 WELL WATER TO BE USED AS:

1. Domestic: <input type="checkbox"/> Household <input type="checkbox"/> Lawn & Garden <input checked="" type="checkbox"/> Livestock	5. <input type="checkbox"/> Public Water Supply: well ID	10. <input type="checkbox"/> Oil Field Water Supply: lease
2. <input type="checkbox"/> Irrigation	6. <input type="checkbox"/> Dewatering: how many wells?	11. Test Hole: well ID
3. <input type="checkbox"/> Feedlot	7. <input type="checkbox"/> Aquifer Recharge: well ID	<input type="checkbox"/> Cased <input type="checkbox"/> Uncased <input type="checkbox"/> Geotechnical
4. <input type="checkbox"/> Industrial	8. <input type="checkbox"/> Monitoring: well ID	12. Geothermal: how many bores?
	9. Environmental Remediation: well ID	a) Closed Loop <input type="checkbox"/> Horizontal <input type="checkbox"/> Vertical
	<input type="checkbox"/> Air Sparge <input type="checkbox"/> Soil Vapor Extraction	b) Open Loop <input type="checkbox"/> Surface Discharge <input type="checkbox"/> Inj. of Water
	<input type="checkbox"/> Recovery <input type="checkbox"/> Injection	13. <input type="checkbox"/> Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:
Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded
Casing diameter 6 in. to 480 ft., Diameter in. to ft., Diameter in. to ft.
Casing height above land surface 18 in. Weight lbs./ft. Wall thickness or gauge No. SDR17
TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel PVC Other (Specify) SDR17
 Brass Galvanized Steel None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:
 Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)
 Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)
SCREEN-PERFORATED INTERVALS: From 340 ft. to 360 ft., From 380 ft. to 480 ft., From ft. to ft.
GRAVEL PACK INTERVALS: From 0 ft. to 5 ft., From 50 ft. to 480 ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other
Grout Intervals: From 5 ft. to 50 ft., From ft. to ft., From ft. to ft.
Nearest source of possible contamination: No potential source of contamination within 200 ft.
 Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
 Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
 Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well
 Other (Specify) Gas Line
Direction from well? East Distance from well? 100 ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 07/30/2021 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 846 This Water Well Record was completed on (mo-day-year) 08/17/2021 under the business name of Nash Water Well Service, LLC

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Zach Zulauf
Doc ID	1586693

Lithology

From	To	Lithologic Log
0	10	FINE SAND BROWN CLAY
10	40	FINE COARSE SAND
40	50	FINE COARSE SAND WITH LOOSE
		GRAVEL AND SMALL COBBLE
50	60	FINE MEDIUM SAND WITH TAN CLAY
60	170	FINE COARSE SAND
170	200	FINE MEDIUM SAND WITH TAN CLAY
200	240	FINE COARSE SAND WITH BROWN CLAY
240	290	FINE COARSE SAND WITH BROWN CLAY
290	310	TAN BROWN CLAY WITH FINE MEDIUM SAND
310	360	FINE COARSE SAND WITH TAN CLAY STREAKS
360	380	TAN CLAY WITH FINE MEDIUM SAND STREAKS
380	445	FINE SAND YELLOW TAN CLAY STREAKS
445	450	RED CLAY
450	466	FINE SAND
466	480	TAN RED GRAY BLUE CLAY WITH FINE SAND

1586693
 WWC5
 Nash Water Well Service, LLC
 Zach Zulauf