


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Grant	Fraction NW 1/4 NW 1/4 SW 1/4	Section number 7	Township number T 30 S R 36 E W	Range number 36
2. Distance and direction from nearest town or city: from the four way stop at Ulysses, go 8 miles south, east, 1/2 south			3. Owner of well: Phyllis Curtis 1516 N. St. Clair Wichita, Ks. 67203			
4. Locate with "X" in section below: <div style="text-align: center;">N 1 Mile W  E S 1 Mile</div>			Sketch map:		6. Bore hole dia. 27 in. Completion date 9/30/78 Well depth 504.6 ft.	
5. Type and color of material			From To		7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
					8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
					9. Casing: Material steel Height: <input type="checkbox"/> Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> <input type="checkbox"/> 1 1/2 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.8 lbs./ft. Dia. 16 in. to 261.1 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. .219	
					10. Screen: Manufacturer's name Lakewood Pipe of Texas Type steel Dia. 16" Slot/gauze 3/16" Length 243.3' Set between 261.1 ft. and 504.6 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/4 x 5/8"	
Surface			0		2	
Clay and fine sand			2		17	
Brown clay			17		105	
Sandy clay w/sand strips			105		122	
Brown clay			122		250	
Medium to coarse sand w/clay breakers 7-6			250		340	
Sandy clay w/strips of dark gravel 6			340		358	
Sandy clay w/fine sand loose			358		408	
Yellow shalk w/sandrock 25%			408		455	
Yellow chalk			455		467	
Sandstone and clay 25%			467		482	
Brown shale			482		490	
Brown shale and sandstone 40%			490		506	
(Use a second sheet if needed)						
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Houck Bros. Drlg. Co. 164 Business name License No. Address Box 487, Ulysses, Ks. Signed M. Beard Date 10/20/78 Authorized representative		
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5