WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County	Fraction SE SW SE 1/4 NW 1/4 NW	1/4	Section number		Township number	Range number	
2. Distance and direction from nearest town or city: 7 miles south, Street address of well location if in city: 12 south of Ulysses, Ks. Street address of well location if in city: 12 south of Ulysses, Ks. City, str				or of well: Carl Johnson Street: Ulysses, Ks. 67880 ote, zip code: (RFD 3)				
4. Locate with "X" in section below: N						6. Bore hole dia. 27 in. Completion date Well depth 507 ft. See Remarks:		
- 3 w	1 1 NE					7 Cable tool X Rotary Hollow rod Jetted	Driven Dug Bored Reverse rotary	
E SW SE I I I I I I I I I I I I I I I I I						8. Use: Domestic Public supply Industry X_ Irrigation Air conditioning Stock Lawn Oil field water Other		
						9. Casing: Material Steel Height Above or below Threaded Welded _X Surface in. RMP 248 Weight 6 lbs./ft. Dia in. to ft. depth Wall Thickness: inches or Dia in. to ft. depth large No 219		
1 M				T -	I +	Dia in. to ft. dept	h Wall Thickness: inches or	
5. Type and color of	material			From	То	10. Screen: Manufacturer's n	ome Lakewood	
Surface				0	2	Pipe of Texas		
Sandy clay			2	50	Set between <u>248.7</u>	ft. andft.		
	ne sand strips			50	100	Gravel pack? X Size rar	and $\frac{1}{400}$ ft. arge of material $\frac{1}{400}$ $\frac{1}{400}$	
Fine sand	w/clay			100	210	11. Static water level: 175:4 ft. below land surf	imo /day/yr	
Fine sand				210	278	12. Pumping level below land	surfaces:	
Medium to coarse sand				278	300	315 ft. after 20.3 hrs. pumping 950 g.p.m. —————————————————————————————————		
Clay				300	318	13. Water sample submitted:	mo./day/yr.	
Fine to medium sand w/clay breakers				318	340	14. Well head completion:	NA	
Medium sand and clay				340	375	Pitless adapter 15. Well grouted?X		١,
Clay and sandy clay				375	420		Bentonite Concrete	- 10 10
Sandy clay and fine sand strips				420	480	16. Nearest source of possible	contamination: NA	\
Sandy clay				480	507	Well disinfected upon comple	tion? Yes No	h
						17. Pump: Manufacturer's name	X Not installed	= 'V
						Model number	HP Volts	8
						Type: Submersible	Turbine	
	Use a second s)	heet if needed)				Jet Centrifugal	Reciprocating Other	8/
18. Elevation: 19. Remarks! He paid for this well Aug. 25, 1976						20. Water well contractor's c	ertification:	֓֟֝֟֝֟֝֟
The pits are to be bak backfilled when						This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Topography: the corn is cut. This will complete					Houck Bros. Business name Buf #8	Drig. Co. 164) 4 - U	
X Slope this well.						Signed M. Bears Date 13/76		
Valley						Authorized repr	esentative	2