


1 LOCATION OF WATER WELL: Fraction **SE 1/4 SE 1/4 SW 1/4** Section Number **28** Township Number **T 30 S** Range Number **R 37 EW**
 County: **Grant**

Distance and direction from nearest town or city street address of well if located within city?
From Ulysses - 12 Miles South & 5/8ths Mile West on North Side

2 WATER WELL OWNER: **Wagon Bed Springs Chapter of the Santa Fe Trail Association**
 RR#, St. Address, Box #: **c/o Fern Bessire, President, 403 Pawnee St.** Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: **Ulysses, Kansas 67880** Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: **250** ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. **NA** ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL **118** ft. below land surface measured on mo/day/yr **5-30-89**
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter: **10-5/8** in. to **250** ft., and in. to ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No.....; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 PVC 4 ABS 7 Fiberglass Threaded.....
 Blank casing diameter **5** in. to **210** ft., Dia. in. to ft., Dia. in. to ft.
 Casing height above land surface **12** in., weight **2.9141** lbs./ft. Wall thickness or gauge No. **SDR21**
 TYPE OF SCREEN OR PERFORATION MATERIAL: PVC 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From **210** ft. to **250** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From **170** ft. to **250** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement Cement grout 3 Bentonite 4 Other
 Grout Intervals: From **0** ft. to **20** ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well
 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage **N/A**

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
		See attached log			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) **5-31-89** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **208** This Water Well Record was completed on (mo/day/yr) **6-12-89** under the business name of **Minter-Wilson Drilling Co., Inc.** by (signature) *Nora Keller*

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320. Telephone: 913-296-5514. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

The
Professionals

MINTER-WILSON DRILLING CO.
INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 • P.O. Box A • GARDEN CITY, KANSAS 67846

Wagon Bed Springs Chapter of the
Santa Fe Trail Association
Grant County
5-30-89

Location: SE $\frac{1}{4}$ /SE $\frac{1}{4}$ /SW $\frac{1}{4}$ 28-30-37
From Ulysses - 12 Miles So. & 5/8ths W.
on north side

Static Water Level - 118'

0	2	Top soil
2	7	Fine Sand
7	44	Brown clay
44	67	Blue clay
67	96	Brown clay - gravel strip
96	102	Fine to medium sand & gravel - loose
102	127	Brown clay - tight
127	146	Brown clay - small strip of gravel
146	168	Brown clay
168	186	Fine to medium sand & gravel - 10% clay
186	209	Brown clay - tight
209	250	Fine to medium sand & gravel
250	256	Brown clay

TD - 250'
10-5/8" Hole
5" PVC Casing
210' Plain
40' Perf.