

WATER WELL RECORD For WWC-5

Original Record Correction Change in Well Use

Division of Water Resources App.

6076

Well ID

1 LOCATION OF WATER WELL: County: GRANT Fraction SW 1/4 NW 1/4 NE 1/4 NW 1/4 Section Number 9 Township Number T 30 S Range Number R 37 E W

2 WELL OWNER: Last Name: Business: SEABOARD FOODS LLC Address: 9000 W 67TH ST, SUITE 200 City: SHAWNEE MISSION State: KS ZIP: 66202 Street or Rural Address where well is located: 3897 FEET WEST FROM INTERSECITON OF HWY 25 AND RED 20, 515 FT SOUTH INTO FIELD

3 LOCATE WELL WITH "X" IN SECTION BOX: N W E S 1 mile

4 DEPTH OF COMPLETED WELL: 500 ft. Depth(s) Groundwater Encountered: 1) 290 ft. 2) ft. 3) ft., or 4) Dry Well WELL'S STATIC WATER LEVEL: 290 ft. below land surface, measured on (mo-day-yr) 06/29/2020 Pump test data: Well water was 352 ft. after 4 hours pumping 90 gpm Well water was ft. after hours pumping gpm Estimated Yield: 90 gpm Bore Hole Diameter: 15 in. to 500 ft. and in. to ft.

5 Latitude: 37.45896 (decimal degrees) Longitude: 101.37551 (decimal degrees) Horizontal Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude: GPS (unit make/model: (WAAS enabled? Yes No) Land Survey Topographic Map Online Mapper:

6 Elevation: 3098 ft. Ground Level TOC Source: Land Survey GPS Topographic Map Other KOLAR

7 WELL WATER TO BE USED AS: 1. Domestic: Household Lawn & Garden Livestock Irrigation Feedlot Industrial 5. Public Water Supply: well ID 6. Dewatering: how many wells? 7. Aquifer Recharge: well ID 8. Monitoring: well ID 9. Environmental Remediation: well ID Air Sparge Soil Vapor Extraction Recovery Injection 10. Oil Field Water Supply: lease 11. Test Hole: well ID Cased Uncased Geotechnical 12. Geothermal: how many bores? a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water 13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 8 in. to 500 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 24 in. Weight lbs./ft. Wall thickness or gauge No. 508 TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From 280 ft. to 380 ft., From 400 ft. to 500 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 27 ft. to 240 ft., From 260 ft. to 500 ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 7 ft. to 27 ft., From 240 ft. to 260 ft., From ft. to ft. Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Direction from well? Distance from well? ft.

Table with 6 columns: 10 FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Includes a Notes section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 06/22/2020 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 748. This Water Well Record was completed on (mo-day-year) 07/23/2020 under the business name of Downey Drilling, Inc. #748. Signature

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1523703

Lithology

0	83	SANDY CLAY W/ MED/C SAND LENSES
83	103	SANDY CLAY
103	123	SANDY CLAY, SAND
123	143	SANDY CLAY
143	163	SANDY CLAY W/ MED SAND
163	183	SANDY CLAY, M/C SAND, CLAY
183	203	SANDY CLAY, M/C SAND
203	223	SANDY CLAY, M/C SAND, F/M GRAVEL
223	243	F/M/C SAND, F/M/C GRAVEL
243	263	SANDY CLAY, M/C SAND, F. GRAVEL
263	282	M/C SAND, F. GRAVEL, TR SANDY CLAY
282	302	M/C SAND, FINE GRAVEL TR SC
302	322	M/C SAND, F. GRAVEL W/ SANDY CLAY
322	342	M TR. C SAND, SANDY CLAY
342	362	SANDY CLAY, CLAY LAYERS, SANDY
362	382	SANDY CLAY, VERY F. SAND, CLAY
382	402	CLAY, SANDY CLAY, SOAPSTONE

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1523703

Lithology

402	422	SOAPSTONE, SANDSTONE, F/M SAND, CLAY
422	442	SILTSTONE, YELLOW SHALE
442	462	SS, BR. ROCK
462	486	F/F SAND, SILTSTONE, BR. ROCK
486	491	SILTY CLAY, SILTSTONE
491	500	F. SAND, SILTSTONE, SILTY CLAY