

CORRECTION

## WATER WELL RECORD

For WWC-5

Division of Water  
Resources App. I

6076

Well ID

☐ Original Record ☒ Correction ☐ Change in Well Use

## 1 LOCATION OF WATER WELL:

County: GRANT

Fraction

SW 1/4 NW 1/4 NE 1/4 NW 1/4

Section Number

9

Township Number

T 30 S

Range Number

R 37 ☐ E ☒ W

## 2 WELL OWNER: Last Name:

First:

Business: SEABOARD FOODS LLC

Address: 9000 W 67TH ST, SUITE 200

Address:

City: SHAWNEE MISSION State: KS ZIP: 66202


Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: ☐

3897 FEET WEST FROM INTERSECITON OF HWY 25 AND RED 20, 515 FT SOUTH INTO FIELD

37 446160 N

## 3 LOCATE WELL WITH "X" IN SECTION BOX:

N



S

-----1 mile-----

## 4 DEPTH OF COMPLETED WELL: 500 ft.

Depth(s) Groundwater Encountered: 1) 290 ft.

2) ..... ft. 3) ..... ft. or 4) ☐ Dry Well

WELL'S STATIC WATER LEVEL: 290 ft.

☒ below land surface, measured on (mo-day-yr) 06/29/2020☐ above land surface, measured on (mo-day-yr) .....

Pump test data: Well water was 352 ft.

after 4 hours pumping 90 gpm

Well water was ..... ft.

after ..... hours pumping ..... gpm

Estimated Yield: 90 gpm

Bore Hole Diameter: 15 in. to 500 ft. and

..... in. to ..... ft.

## 5 Latitude: 37 446160 N (decimal degrees)

Longitude: 101 37551 W (decimal degrees)

Horizontal Datum: ☐ WGS 84 ☒ NAD 83 ☐ NAD 27

Source for Latitude/Longitude:

☐ GPS (unit make/model: .....)(WAAS enabled? ☐ Yes ☐ No)☐ Land Survey ☐ Topographic Map☐ Online Mapper: .....6 Elevation: 3098 ft. ☒ Ground Level ☐ TOCSource: ☐ Land Survey ☐ GPS ☐ Topographic Map☒ Other KOLAR .....

## 7 WELL WATER TO BE USED AS:

## 1. Domestic:

- ☐ Household  
☐ Lawn & Garden  
☐ Livestock

2. ☒ Irrigation3. ☐ Feedlot4. ☐ Industrial5. ☐ Public Water Supply: well ID .....6. ☐ Dewatering: how many wells? .....7. ☐ Aquifer Recharge: well ID .....8. ☐ Monitoring: well ID .....

## 9. Environmental Remediation: well ID .....

☐ Air Sparge ☐ Soil Vapor Extraction☐ Recovery ☐ Injection10. ☐ Oil Field Water Supply: lease .....

## 11. Test Hole: well ID .....

☐ Cased ☐ Uncased ☐ Geotechnical

## 12. Geothermal: how many bores? .....

a) Closed Loop ☐ Horizontal ☐ Verticalb) Open Loop ☐ Surface Discharge ☐ Inj. of Water13. ☐ Other (specify): .....Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☒ No If yes, date sample was submitted: .....Water well disinfected? ☒ Yes ☐ No8 TYPE OF CASING USED: ☐ Steel ☒ PVC ☐ Other .....CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☒ Threaded

Casing diameter 8 in. to 500 ft., Diameter ..... in. to ..... ft., Diameter ..... in. to ..... ft.

Casing height above land surface 24 in. Weight ..... lbs./ft. Wall thickness or gauge No. 508 .....

## TYPE OF SCREEN OR PERFORATION MATERIAL:

- ☐ Steel ☐ Stainless Steel ☐ Fiberglass ☒ PVC ☐ Other (Specify) .....
- ☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)

## SCREEN OR PERFORATION OPENINGS ARE:

- ☐ Continuous Slot ☒ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify) .....
- ☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)

SCREEN-PERFORATED INTERVALS: From 280 ft. to 380 ft., From 400 ft. to 500 ft., From ..... ft. to ..... ft.

GRAVEL PACK INTERVALS: From 27 ft. to 240 ft., From 260 ft. to 500 ft., From ..... ft. to ..... ft.

9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☒ Bentonite ☐ Other .....

Grout Intervals: From 7 ft. to 27 ft., From 240 ft. to 260 ft., From ..... ft. to ..... ft.

## Nearest source of possible contamination:

- ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage
- ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well
- ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well
- ☐ Other (Specify) .....

Direction from well? ..... Distance from well? ..... ft.

## 10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS

Attached Attached Attached

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo-day-year) 06/22/2020 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 748. This Water Well Record was completed on (mo-day-year) 07/23/2020 under the business name of Downey Drilling, Inc. #748. Signature .....

Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.

Visit us at <http://www.kdheks.gov/waterwell/index.html>

KSA 82a-1212

Revised 7/10/2015

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1523703

# Lithology

0	83	SANDY CLAY W/ MED/C SAND LENSES
83	103	SANDY CLAY
103	123	SANDY CLAY, SAND
123	143	SANDY CLAY
143	163	SANDY CLAY W/ MED SAND
163	183	SANDY CLAY, M/C SAND, CLAY
183	203	SANDY CLAY, M/C SAND
203	223	SANDY CLAY, M/C SAND, F/M GRAVEL
223	243	F/M/C SAND, F/M/C GRAVEL
243	263	SANDY CLAY, M/C SAND, F. GRAVEL
263	282	M/C SAND, F. GRAVEL, TR SANDY CLAY
282	302	M/C SAND, FINE GRAVEL TR SC
302	322	M/C SAND, F. GRAVEL W/ SANDY CLAY
322	342	M TR. C SAND, SANDY CLAY
342	362	SANDY CLAY, CLAY LAYERS, SANDY
362	382	SANDY CLAY, VERY F. SAND, CLAY
382	402	CLAY, SANDY CLAY, SOAPSTONE

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1523703

#### Lithology

402	422	SOAPSTONE, SANDSTONE, F/M SAND, CLAY
422	442	SILTSTONE, YELLOW SHALE
442	462	SS, BR. ROCK
462	486	F/F SAND, SILTSTONE, BR. ROCK
486	491	SILTY CLAY, SILTSTONE
491	500	F. SAND, SILTSTONE, SILTY CLAY