KOLAR Document ID: 1568562

WATER WELL RECORD Form WWC-5  ☐ Original Record ☐ Correction ☐ Change in Well Use						Division of Water Resources App. No. Well ID							
<u>_</u> _	Original Record Correction Chang  1 LOCATION OF WATER WELL:						ion Number Township Number				Well ID r Range Number		
1	County:			1/4 1/4 1/4				_	□ E □ W				
2				First:	Street or	treet or Rural Address where well is located (if unknown, distance and							
	Business:						direction from nearest town or intersection): If at owner's address, check						
	Address: Address:						,						
	City:			State:	ZIP:								
3	LOCAT	E WELL											
	WITH "				IPLETED WELL:								_
	SECTIO				Encountered: 1)					<b>e</b> :			_
	N	N			TER LEVEL:		/11			Latitude/Longitude		□ NA	XD 21
			☐ below la	and surface	, measured on (mo-day	/-yr)				unit make/model:			)
	NW	NE			, measured on (mo-day			_		WAAS enabled?			
					vater was					Survey Topogra			
W	-	E	arter		s pumpingvater was			☐ Online Mapper:					
	SW	SE	after		s pumping								
			Estimated Y			01				: <u>f</u> t.			
		S	Bore Hole D		in. to			Source		Land Survey			
	1 r	<u>'</u>	) DE LIGED A		in. to	ft.			Ш	Other		• • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
			) BE USED A		C			10 🗆 0	:1 17: -	1.1 337-4 C1 1-			
	Domestic:  Housel				ter Supply: well ID g: how many wells?					ld Water Supply: le			
	☐ Lawn d				echarge: well ID						•••		
	Livesto			•	g: well ID					al: how many bores			••••
2.	☐ Irrigati	on	9. Er	nvironment	al Remediation: well I						al		
	Feedlo			Air Sparge		☐ Soil Vapor Extraction			b) Open Loop ☐ Surface Discharge ☐ Inj. of Water 13. ☐ Other (specify):				
	☐ Industr			Recovery	☐ Injection								
					itted to KDHE? $\square$	Yes 🔲	No ]	If yes, date	e san	nple was submitte	d:		•••••
			Yes [		g = 0.1		A CINI	C IODITO		GL 1 <b>5</b> GL	. —		
					C Other								☐ Threaded
			surface		Diameter					or gauge No			
			R PERFORAT				., 10.	vvair tiller	LII COO	or gauge 110.			
	☐ Steel		nless Steel		□ PVC			☐ Oth	her (S	Specify)			
	☐ Brass		vanized Steel			used (open	hole)						
SC			ATION OPE				_ ~ .		_				
	_	nuous Slot ered Shutter	☐ Mill Slot ☐ Key Punch					lled Holes ne (Open H		Other (Specify)	• • • • • • • •	•••••	•••••
SC			-		n ft. to					ft From		ft to	ft
5					n ft. to								
9					Cement grout B								
					ft., From	. ft. to		ft., From					
		-	le contamin <u>a</u> ti		potential source of co	ntaminatio							
	Septic '			Lateral Line Cess Pool			_	ivestock Pe		☐ Insection			7-11
	Sewer	Lines ight Sewer Li		Less Poor Seepage Pit	☐ Sewage La ☐ Feedyard	agoon		uel Storage ertilizer Sto		☐ Abando ☐ Oil We			en
							☐ I.	crunzer su	nage	□ On we	II/ Gas	WCII	
	☐ Other (Specify)												
10	FROM	TO	L	ITHOLO	GIC LOG	FRO	M	TO	LIT	HO. LOG (cont.) or	PLUC	GGING	INTERVALS
						Notes	:						
11	11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
ur V	under my jurisdiction and was completed on (mo-day-year)												
	under the business name of												
			Send one copy to	WATER W	ELL OWNER and retain	one for you	r record	ds. Fee of \$5	5.00 f	or each constructed we	ell.		
	_				Vater, Geology Section, 1	000 SW Jac	kson St	t., Suite 420,	Tope	eka, Kansas 66612-136	7. Tele		
	v isit us at h	Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> <a href="http://www.kdheks.gov/waterwell/index.html">KSA 82a-1212</a>											

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1568562

## Lithology

From	То	LithologicLog
0	3	TOPSOIL
3	42	SILTY CLAY LAYERS
42	52	F/M/TR C SAND, TR SANDY CLAY
52	65	CLAY
65	70	F/M/C SAND, VERY F. GRAVEL, SC
70	82	SANDY CLAY, CLAY
82	111	F/M SAND, SANDY CLAY, MAG LEDGES
111	115	F/M, TR C. SAND
115	122	F/M TR. C. SAND, SANDY CLAY LAYERS
122	141	CLAY
141	148	F/M/C SAND, SANDY CLAY
148	175	F/M, TR C. SAND, SANDY CLAY
175	182	CLAY
182	200	F/M SAND, C. SAND, SANDY CLAY
200	210	F/M SAND, SANDY CLAY
210	216	F/M/C SAND, VERY FINE GRAVEL
216	238	F/M SAND, SANDY CLAY
238	255	SANDY CLAY, F/M C SAND LAYERS
255	261	F/M/C SAND

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1568562

## Lithology

From	То	LithologicLog
261	274	SANDY CLAY, F/M SAND, C SAND
274	306	F/M/C SAND, FINE GRAVEL
306	317	F/M SANDW/ SANDY CLAY STRINGERS
317	319	CLAY, SANDY CLAY
319	328	M/C SAND, FINE GRAVEL
328	331	F/M, TR C SAND, SANDY CLAY
331	358	M/C SAND, TR. FINE GRAVEL
358	378	SANDY CLAY, F/M/TR C SAND LAYERS
378	382	CLAY
382	396	SILTY CLAY W/ F. SAND, SS LENSE
396	403	CLAY
403	454	FINE SAND, SILTY CLAY LAYERS
454	462	FINE SAND, TR/MED TR SS
462	464	CLAY / SHALE
464	481	F/TR MED SAND, SOAPSTONE, SS
481	484	RED BED
484	487	FINE SAND
487	502	RED BED
		•