	WATE	R WELL RECORD F	orm WWC-5	KSA 82a	1212		
LOCATION OF WATER WEL				on Number	Township Numb	ber	Range Number
County: Grant	SE 14	NW 1/4 54	1 1/4	29	T 30	s	R 38 EW
Distance and direction from nea	arest town or city street a	ddress of well if located	within city?		,		
From B; Bon	11 500 L	3 East	y No	oth.	4 East	to 1	In
WATER WELL OWNER:	Charles Luc	43	, , , , , , ,			, , ,	
RR#, St. Address, Box # : R	R 2				Board of Agric	culture. Divisi	on of Water Resources
		10000			Application N	_	
City, State, ZIP Code : Z		6/833	~,~		дрисацоп и	uniber.	
LOCATE WELL'S LOCATION AN "X" IN SECTION BOX:	WITH DEPTH OF C	OMPLETED WELL 🗢	2.1.1.1.1.1	. ft. ELEVA	TION:		
N DOM		water Encountered 1.					
ī ! ·	WELL'S STATIC	WATER LEVEL / 3	ft. be	low land sur	face measured on me	o/day/yr	88-83
	Pump	test data: Well water	was/	7.07ft.a	fter 2 h	ours pumpir	ng // gpm
NW NE	Est. Yield 2.5	0.0. gpm: Well water	was 1 7	16 ft. a	fter . // h	nours pumpir	g . 1.70.Z. gpm
<u> </u>		eter 2.4 in. to					
₹ w 		-	Public water		8 Air conditioning		
<u> </u>	1 1				9 Dewatering		
Kw SE	1 Domestic				_		
1 1 1 1 1	2 Irrigation		-	-	0 Observation well		
ļ <u>' l l</u>	Was a chemical/	bacteriological sample su	ibmitted to De	partment? Ye	esNo >>-	; If yes, mo	day/yr sample was sub-
<u> </u>	mitted			Wa	ter Well Disinfected?		
5 TYPE OF BLANK CASING U	USED:	5 Wrought iron	8 Concret	te tile	CASING JOINT	S: Glued	Clamped
1 Steel 3 I	RMP (SR)	6 Asbestos-Cement	9 Other (specify below	v)	Welded .	🗶
2 PVC 4 /	ABS1	7 Fiberglass				Threaded	
Blank casing diameter 1.6	ABS in to 517	ft., Dia					
Casing height above land surfa	74'	in weight 47	# <	lbe /	ft Wall thickness or	naune No	2511
		.iri., weigitt					,.20. W
TYPE OF SCREEN OR PERFO			7 PVC			tos-cement	
1 <u>Steel</u> 3 5	Stainless steel	5 Fiberglass		P (SR)			
2 Brass 4 0	Galvanized steel	6 Concrete tile	9 ABS			used (open h	nole)
SCREEN OR PERFORATION	OPENINGS ARE:	5 Gauze	d wrapped		8 Saw cut	11	None (open hole)
1 Continuous slot	3 Mill slot	6 Wire w	rapped		9 Drilled holes	_	,
2 Louvered shutter	4 Key punched	7 Torch o	cut		10 Other (specify)	Brid	se type
SCREEN-PERFORATED INTE		5 ft. to	353	ft Fro	m 3/3.	ft. to	. 2.7.4ft.
		3 <i>5.3</i> ft. to					
GRAVEL PACK INTE		<i>J. O</i> ft. to					
GRAVEL PACK INTE		•	>				ft.
	From	ft. to		ft., Fro		ft. to	
_			3 Benton				
Grout Intervals: From	② ft. to // .	ft., From	ft. t	ю	ft., From	f	t. to
What is the nearest source of p	possible contamination:			10 Lives	tock pens	14 Aban	doned water well
1 Septic tank	4 Lateral lines	7 Pit privy		11 Fuel	storage	15 Oil w	ell/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagor	on	12 Fertil	izer storage	16 Other	(specify below)
3 Watertight sewer lines		9 Feedvard				LINKNE	
Direction from well?	o ocopago p	o . oouyu.u		How ma			
FROM TO	LITHOLOGIC	LOG	FROM	TO		THOLOGIC	OG
PHOM 10	LITTIOLOGIO	200	THOM	-10		IIIOLOGIO I	.00
			+				
			+				
	See Affack	red Loca					
	- (.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	~					
	* .	-					
			1				
	• 3						
		•					
		•					
		•					
		•					
		•					
		•					
7 CONTRACTOR'S OR LANG	DOWNER'S CERTIFICAT						
completed on (mo/day/year)	8-10-83.			and this reco	ord is true to the best	of my knowle	edge and belief. Kansas
completed on (mo/day/year) Water Well Contractor's Licens		This Water We	ell Record wa	and this reco	ord is true to the best on (mo/day/yr)	of my knowle	edge and belief. Kansas
completed on (mo/day/year) Water Well Contractor's Licens		This Water We	ell Record wa	and this reco	ord is true to the best on (mo/day/yr)	of my knowle	edge and belief. Kansas
completed on (mo/day/year) Water Well Contractor's Licens under the business name of INSTRUCTIONS: Use typewrite	B-10-83 se No. 145 Heakle Octor of or ball point pen, PLEA	This Water Works Prince L S. O. SE PRIESS FIRMULA and	ell Record wa	and this reco s completed by (signa y. Please fill	ord is true to the best on (mo/day/yr) ature)	of my knowledge of my knowledge of the color	edge and belief. Kansas
completed on (mo/day/year) Water Well Contractor's Licens	se No	This Water Works Prince L S. O. SE PRIESS FIRMULA and	ell Record wa	and this reco s completed by (signa y. Please fill	ord is true to the best on (mo/day/yr) ature)	of my knowledge of my knowledge of the color	edge and belief. Kansas

DRILLERS TEST LOG

CUSTOMERS NAME	Charles Lu	ucas			DATE	12-3	3-82		
STREET ADDRESS	RFD #2				TEST	# 2	E. LOG	Yes	5
CITY & STATE	Johnson, K	Kansas			DRILI	ER_	Mai		
COUNTY Grant	QUARTER S	SW S	SECTION	29	TOWNSHIP	30	RANGE	38	

LOCATION 200' West of center of 4

Well Location

}	Fo	otage	€ .	Static Water Level
• .	From			DESCRIPTION OF STRATA Proposed Well Depth
	0		2	Top soil
	2			Brown clay, sandy in few places
	60			Clay & caliche
	73			Brown clay, sand stks & cemented ledges
	100			Sand - fine to med coarse clay stks.
	135			Sand - fine to med coarse small gravel clay stks.
	145			Brown clay - sticky
45	152	08		Sand - fine to med coarse few small gravel
	160		165	Brown clay & cemented sand
	165	: .	189	Brown clay - sticky, sandy in few places few sand stks
65	189	27	216	
				little water.
	216		223	Brown clay.
40	223	05	228	
	228		232	
60	232	48	280	Sand - fine to med coarse small to med brown gravel, small
				clay stks loose, uses little water.
-	280		286	
55	286	08	294	
	294		311	
55	311	09	320	Sand - fine to med coarse small & few med brown gravel, few
-				clay stks.
75	320	39	359	Sand - fine to med coarse small to med brown gravel loose
				uses water
20	359	22	381	Brown & beige sandstone - tight - mixed mud & bran at 359.
	381		385	Soapstone.
35	385	43	428	
				uses little water.
40	428	45	473	Brown sandstone loose in places uses water. Added Bran.
20	473	17	490	
30	490	24	514	
30	514	27	518	
	1 314	 	1 310	nea bea nara.
		 		7 sacks Quik-Gel
	 	ļ	+	½ sack Bran
	 	 	-	2 Sack Blun
			-	Total Depth 517'
			-	Total Dopan Ca.
	+	 		Set up west, pit north
	 	 	-	
	1			
	 	-	-	
	1 7 7 7 7	 	-	
	1	1		
		 		