

WATER WELL RECORD				2010		ion of Water		W 11 ID	
Original Record Correction		in Well Use	;			rces App. No		Well ID	NY 1
1 LOCATION OF WATER W	ELL:	Fraction	1/ 1	/ 1/	Secti	on Number	Township Num		ige Number
County:			1/4 1/		D	1 4 11	T S	R	□E □W
2 WELL OWNER: Last Name: Business:		First:					here well is located		
Address:				direction	rom ne	arest town or i	ntersection): If at own	er's address, o	ineck nere:
Address:									
City:	State:	ZIP:							
3 LOCATE WELL 4 DEP	ГН ОГ СОМ	PI ETED V	WEI I .		ft	5 Lotitue	lo.		(daaimal daamaa)
WITH "A" IN Donth(a)	Groundwater E								
SECTION BOX:	ft. 3								
	STATIC WAT								IAD 21
	w land surface,				······ GPS (unit make/model:				)
NWX NE	ve land surface,	measured on	(mo-day	y-yr)	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				
Pump tes	st data: Well wa							•	
W E after	r hours								
SW SE		ater was							
ante	r hours d Yield:		•••••	. gpm	6 Elevation:ft. Ground Level TOC				
	le Diameter:			ft and					
7 WELL WATER TO BE USE									
	.  Public Wat	er Supply: v	vell ID			10. □ Oil	Field Water Supply:	lease	
	. Dewatering						ole: well ID		
	. 🔲 Aquifer Re								
	.   Monitoring						rmal: how many bore		
	. Environmenta				a) Closed Loop    Horizontal    Vertical				
3. ☐ Feedlot	☐ Air Sparge			Extraction					
4. ☐ Industrial	Recovery	∐ In	jection				er (specify):		
Was a chemical/bacteriological s		itted to KD	HE? □	Yes	No l	If yes, date	sample was submitt	ed:	
Water well disinfected? ☐ Yes									
8 TYPE OF CASING USED:									
Casing diameter in. to									
Casing height above land surface			• • • • • • • • • • • • • • • • • • • •	lbs	./ft.	Wall thickn	ess or gauge No	• • • • • • • • • • • • • • • • • • • •	
TYPE OF SCREEN OR PERFOR							(9.10.)		
☐ Steel ☐ Stainless Steel			□ PVC	1.7	1 1 \		r (Specify)	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
☐ Brass ☐ Galvanized Steel			None	used (open	hole)				
Continuous Slot Mill Slo		uze Wrapped	. Пт	orch Cut	□ Dei	llad Holes	Other (Specify)		
Louvered Shutter Key Pu						ne (Open Ho			•••••
SCREEN-PERFORATED INTER	VALS: From	ft.	to	ft. Fr	om	ft to	ft. From	ft to	ft.
GRAVEL PACK INTERVALS: From									
Grout Intervals: From									
	Nearest source of possible contamination:								
	Lateral Lines		it Privy			ivestock Pens		icide Storage	
	Cess Pool		ewage La	agoon		uel Storage		loned Water	Well
	☐ Seepage Pit		eedyard		☐ Fe	ertilizer Stora	age □ Oil W	ell/Gas Well	
☐ Other (Specify)  Direction from well?  Distance from well?  ft.									
10 FROM TO	LITHOLOG		ce from v	FRO			1 LITHO. LOG (cont.) o		CINTEDVALS
10 FROM TO	LITHOLOG	ic Log		FKU	IVI	10 1	ATHO. LOG (colic.) (	I FLUGGIN	JINTERVALS
					-				
					_				
					_				
Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   constructed,   reconstructed, or   plugged									
under my jurisdiction and was con	npleted on (me	o-day-year)			and th	is record is	true to the best of n	ny knowleds	ge and belief.
Kansas Water Well Contractor's I	License No		This W	ater Well	Reco	rd was com	pleted on (mo-day-v	year)	
under the business name of		ELL OWNER		£		1- E C#C C	00 f1		
under the business name of									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Walter Hauser
Doc ID	1172618

## Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	65	SILTY SANDY CLAY
65	89	SANDY CLAY W/ CALICHE STREAKS
89	120	FAIRLY LOOSE MED SAND & CLAY LAYERS
120	183	FAIRLY LOOSE MEDIUM TO COARSE SAND W/ FEW CLAY STREAKS
183	195	SANDY CLAY W/ FINE SAND STREAKS
195	298	FAIRLY LOSE MED TO COARSE SAND W/ SOME PEA GRAVEL
298	323	STIFF TAN & YELLOW SANDY CLAY
323	380	FAIRLY LOOSE MED TO COARSE SAND W/ CLAY STREAKS
380	387	MED FINE SAND & SANDY CLAY
387	404	FAIRLY LOOSE MED TO MED COARSE SAND
404	421	FAIRLY LOOSE FINE TO MED SAND W/ CLAY STREAKS
421	436	TIGHT FINE TO MED FINE SAND W/ FEW CLAY STREAKS

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Walter Hauser
Doc ID	1172618

## Litholgy

From	То	LithologicLog
436	452	FAIRLY LOOSE FINE TO MED SAND W/ CLAY STREAKS
452	458	TIGHT FINE TO MED FINE SAND W/ CLAY STREAKS
458	469	STIFF YELLOW CLAY W/ FEW FINE SAND STREAKS
469	480	YELLOW CLAY W/ FINE SAND STREAKS