- Iroqui	TION OF HIS		ED ACTION	Water Well Record	Form WWC-5	KSA 82a-1212		
ائا	TION OF WA		FRACTION			Section Number	Township Number	Range Number
Sumner			NW 1/4		SW 1/4	2	т 30 s	R 4W E/W
Distance and direction from nearest town or city street address of well if located within city?								
1/2 mile S. of Milton, on E. side of road Milton, Kansas								
2 WATER WELL OWNER: STRUTTERS, Wesley								
RR#,	ST. ADRESS,			_			Board of Agricultus	re, Divivaion of Water Resource
CITY	, STATE, ZIP	code: Clea	arwater, Kansas			67026 Application Number:		
		OCATION WITH	4 DEPTH OF CO	MPLETED WELL	60	ft. EL	EVATION:	
AN "X'	' IN SECTION	N BOX:	Depth(s) ground	water Encountered	1	ft.	2 ft.	3 ft.
l 1			WELL'S STATIC	WATER LEVEL 2'	7 FT.	BELOW LAND SU	RFACE MEASURED ON mo/day/y	01/16/1996
	j Nove	NE.	Pump te	est data: Well	water was	ft.	after hours p	• •
	NW		Est. Yield	gpm: Well	water was	ft.	after hours p	
M M			Bore Hole Diameter	0-	to 60	ft.	and i	n. to ft.
= "	X		WELL WATER TO		5 Public water	supply	8 Air conditioning	11 Injection well
١.			1 Domestic	3 Feedlot	6 Oil field wat	er supply	_	12 Other (Specify below)
	SW	Sign	2 Irrigation	4 Industrial	7 Lawn and ga	rden only	10 Monitoring well	
I I			Was a chemical/hac	teriological sample su	ibmitted to De	nartment? Yes	No Y : If ve	s, mo/day/yr sample was
L.		S	submitted					es X No
5 TY	PE OF CA	SING USED:		5 Wrought iron	9 (Concrete tile	CASING JOINTS:	Glued X Clamped
1 Stee		3 RMP (SR)		6 Asbestos-Ceme	_	Other (Specify l		Welded
2 PVC		4 ABS		7 Flberglass)R-26	<i>···</i> ,	Threaded
l —	_ sing Diam		in. to 40	· ·			e Dia .	
	•	•		ft., Dia,	in.) 25	to lbs. / ft.	ft., Dia ir Wall thickness or gauge No.	
			L 2 in. TION MATERIAL:			IDS, 7 IL. PVC	10 Asbestos-c	ement
1 Stee		3 Stainless Steel	TION WATERIAL.	5 Fiberglass		RMP (SR)	11 other (spe	
2 Bras		4 Galvanized stee	al .	6 Concrete tile		ABS	12 None used	• •
						ADS	8 Saw cut	• •
1		RFORATION OPI			zed wrapped			11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREE	N-PERFO	RATION INTERV	VALS: from 4	O ft	. to 60	ft., Fron	n ft.	to ft.
from					. to	ft., Froi	n ft.	to ft.
1	GRAVI	EL PACK INTER	VALS: from 2	. 4 fi	t. to 60	ft., Fro		to ft.
			from	fi	ft. to		m <u>ft.</u>	to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to ft.								
What is	the nearest	source of possible	e contamination:			10 Livestock pens		14 Abandon water well
1 Sept	lc tank	4 Later	ral lines 7 Pit privy			11 Fuel s	_	15 Oil well/Gas well
2 Sewe	r lines	5 Cess	s pooi 8 Sewage lagoor		oon			16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard							icide storage No	ne Apparent
Direction from well? How many feet?								
FROM			LITHOLOGIC LO	G	FROM	то	PLUGGING IN	TERVALS
0	4	topsoil						
4	23	fine sar	nd					
23	25	clay						
25	29	fine sar	nd					
29	30	clay						
30	60		fine sand					
							/	
 						+ +		
 						 		
	 							
	-							47 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A
						1		
	<u> </u>							
⁷ CO	TRACTO	R'S OR LANDOWNE	R'S CERTIFICATION: T	'his water well was	(1) <u>constructe</u>	d, (2) reconst	ructed, or (3) plugged und	er my jurisdiction and
was completed on (mo/day/year)								
Well Contractor's License No236								
Under	the busin	ess name ofX.	arp Well &	Pump Serv	ice, Ir	.⊆ by (sig	nature)	Fraderick N
-							[]	~/ / . // 10 10 10 10