WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: SECTION NUMBER TOWNSHIP NUMBER RANGE NUMBER Sumner NWNW NW10 т 30 S R 4W Ε/W 1/4 1/4 1/4 Distance and direction from nearest town or city street address of well if located within city? Milton, Kansas 16323 W. 140th **GEORGE**, Mike Homes WATER WELL OWNER: Board of Agriculture, Division of Water Resource 1717 Elk Ridge RR#,ST. ADDRESS,BOX #: Goddard, Kansas CITY, STATE: ZIP CODE Application Number: 4 DEPTH OF Chings (WELL 100 ft. **ELEVATION:** grade LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: ft. ft. ft. Depth of groundwater Encountered: WELL'S STATIC WATER LEVEL FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: Pump test data: Well water was ft. after gpm -NW NE-Est. Yield: gpm Well water was ft. after hours of pumping @ gpm ≌ Bore Hole Diameter and ft. WELL WATER WE USED AS: 11. Injection well 9. Dewatering 7. Lawn and garden only SW SE 1. Domestic 3. Feedlot 5. Public water supply 12. Other (Specify below) 10. Monitoring well 4. Industrial 6. Oil field water supply 8. Air conditioning ; If yes, what mo/day/yr was sample Was a chemical/bacteriological sample submitted to Department? (NO) Was Water Well Disinfected? (YES) NO 5 TYPE OF CASING USED: CASING JOINTS: Glued Threaded 9. Other (Specify below) 7. Fiberglass 5. Wrought Iron 3. RPM (SR) 1. Steel Welded Clamped 8. Concrete tile Asbestos-Cement 2. PVC 4. ABS Blank casing diameter 5 Dia ft in. to ft.. Dia. to ft... in. to Casing height Do Pland surface: 36 Wall thickness or gauge No. Weight: lbs. / ft. TYPE OF SCREEN OR PERFORATION MATERIAL: 7. PVC 9. ABS 11. Other (specify) 3. Stainless Steel 5. Fiberglass 1. Steel 8. RMP (SR) 12. None used (open hole) 2. Brass 4 Galvanized 6. Concrete Tile 10. Asbestos-Cement SCREEN OR PERFORATION OPENINGS ARE: 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 1. Continuous slot 8. Saw cut 10. Other (specify) 6. Wire wrapped 2. Louvered shutter 4. Key punched SCREEN - PERFORATION INTERVAL ft. From to ft., From to ft. ft. to ft... From From ft. GRAVEL PACK INTERVALS: to ft.. From From to ft. ft From to ft., From ft. to **GROUT MATERIALS:** Other bentonite hole plug 2. Cement Grout 3. Bentonite 1. Neat cement 3 ft. 30 Grout Intervals: ft., ft. ft., ft. to From What is the nearest source of possible contamination: 10. Livestock pens 15. Oil well/Gas well 7. Pit privy 13. Insecticide storage 4. Lateral lines 1. Septic tank 16. Other (specify below) 11. Fuel storage 8. Sewage lagoon 5. Cess Pool 14. Abandon water well 2 Sewer lines 12. Fertilizer storage 9. Feed yard 6. Seepage pit 3. Watertight sewer line Northeast How many feet? 150 ft. plus Direction from well? LITHOLOGIC LOG LITHOLOGIC LOG From To From Τo natural earth backfill bentonite hole plug 3 30 30 chlorinated sand and gravel 100 Contractor's or Landowner's Certification: This water well was 1, constructed 2. reconstructed ог 3. < plugged under my jurisdiction and

was completed on (mo/day/year) 8/5/2011 and this record is true to the best of my knowledge and belief. 8/17/2011

Kansas Water Well Contractor's License No. 236

under the business name of

This water well record was completed on (mo/day/year)

by (signature)

Todd S. Harb