WAIL	KWE		r Resources App. N		
1				Range Number	
	ity: Sur		T 30 S		
		al Address of Well Location; if unknown, distance & direction Global Positioning	Global Positioning System (GPS) information: Latitude: .37.42036. (in decimal degrees)		
1		l + : 1 007 7	4651	(in decimal degrees)	
From Suppesville 3 S. 1 E. 1/4 N. WSR 1/2 into field		opesville 3 S. 1 E. 1/4 N. WSR 1/2 into field Elevation: 1405	Longitude: 097.74651 (in decimal degrees) Elevation: 1405		
		Datum: \(\sqrt{WGS 8} \)	Datum: WGS 84, NAD 83, NAD 27		
		WELL OWNER: Gary Allender Collection Method:	Collection Method		
RR#, Street Address, Box #: 1107 N. Dixon Rd.		et Address, Box #: 1107 N. Dixon Rd.	GPS unit (Make/Model: Garmin CXS		
City, State, ZIP Code : Milton, Kansas 67106		, ZIP Code : Milton, Kansas 67106 ☐ ☐ Digital Map/Pl	☐ Digital Map/Photo, ☑ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☑ 3-5 m, ☐ 5-15 m, ☐ >15 m		
3 LOCATE WELL					
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 53 ft.					
	TION BO			3) ft	
	N				
[Pump test data: Well water wasft. after hours pumping				
"	EST. YIELDgpm. Well water wasft. after				
W Bore Hole Diameter 40 in. to 53 ft., and in. to					
\$W SE					
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No					
S If yes, mo/day/yr sample was submitted					
Water well disinfected? ✓ Yes □ No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded					
Casing diameter .16 in. to .38 ft., Diameter in. to ft., Diameter in. to ft.					
Casin	g height	ht above land surface	ckness or gauge N	o 500	
		REEN OR PERFORATION MATERIAL:			
Steel Stainless Steel PVC Other (Specify)					
	Brass				
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From38					
From					
GRAVEL PACK INTERVALS: From					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other					
Grout Intervals: From 18 ft. to 0 ft., From ft. to ft., From ft. to ft., From ft. to ft.					
		arest source of possible contamination:	_		
片	Septic ta	tank		er (specify below)	
	Sewer lin	lines	A1	<u> </u>	
Direction from well Distance from well					
FROM	ТО			GGING INTERVALS	
0	2	Top soil	- (- (- (- (- (- (- (- (- (- (- (- (- (- (-	- CATO ATTENTALO	
2	5	Brown clay			
5	20	Small to fine sand w/strks. of clay			
20	33	Medium to fine sand			
33	35	Tan clay			
35	52	Small to fine sand w/strks. of clay			
52	53	Red shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged					
under my jurisdiction and was completed on (mo/day/year) 11-6-2012 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 11-29-2012					
under the business name of Rosencrantz-Bemis Enterprise by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a		Check: ✓ Wh	ite Copy Bh	ie Copy, Pink Copy	

47,945