WATE	R WEI	LL RECORD	Form W	WC-5	Division of W	ater Resources App. N	lo. [47,945	
1 LOCATION OF WATER WELL:		Fraction		Section Numbe		Range Number		
County: Sumner		NE 1/4 NE 1/4 SW 1/4 SW 1/4		22	T 30 S			
		Address of Well Location;			ing System (GPS) i 1902			
from nearest town or intersection: If at owner's address, check here					Latitude: 37,41902 (in decimal degrees) Longitude: 097,74669 (in decimal degrees)			
Froi	m Supp	esville 3 S. 1 E. 1/4 N W	SR 1/2 Into field	Elevation:	5 84, [∕] NAD 83, [
2 WATER WELL OWNER: Gary Allender					Collection Metho	d:		
RR#, Street Address, Box #: 1107 North Dixon Rd.					☐ GPS unit (Make/Model: Garmin) ☐ Digital Map/Photo, Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Milton, Kansas 67106					Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m			
3 LOC	ATE WE	ILL		64				
	H AN "X		COMPLETED WEL				(2)	
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)							
Pump test data: Well water was								
EST VIELD gram Well water was fl after hours numping gram								
W Bore Hole Diameter 40 in. to .64 ft., and								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
sw se Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
✓ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: 🗹 Glued 🔲 Clamped 📋 Welded 📋 Threaded								
Casing diameter .16 in. to .44 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface. 20 in., Weight SCH 40 lbs./ft., Wall thickness or gauge No500								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
			From	ft. to	ft., Fron	ft.	to ft.	
		EL PACK INTERVALS:						
From								
Grout Intervals: From 20 ft. to 0 ft., From ft. to ft. ft. ft.								
		est source of possible conta				ic, 110iii	II. WII.	
	Septic ta	nk 🕺 🔲 Lateral lin	es Pit privy	Livestock p	ens 🔲 Insectio	ide storage 🔲 Ot	her (specify below)	
	Sewer li		_ ~ ~	Fuel storage		ned water well /gas well Non	ι Δ	
	-	ht sewer lines 🏻 Seepage p n well		☐ Fertilizer ste		/gas well	• • • • • • • • • • • • • • • • • • • •	
FROM	TO	LITHOLOG		FROM			JGGING INTERVALS	
0	3	Top soil						
3	6	Brown clay						
6	23	Small to fine sand						
23	58	Small to fine streaks of		 -				
58	59	yellow tan clay Layer of soft red shale		+				
58 59	63	Small sand		+				
63	64	Red shale		1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .11-1-2012 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year) .11-29-2012								
under the business name of Rosencrantz-Bemis Enterprise by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, bl	ue, pink) t	Kansas Depar tment of Health	and E nvironment, Bureau	of Water, Geolo	gy Section, 1000 SW	Jackson St., Suite 420,	Topeka, Kansas 666 12-1367.	
•		5524. Sen d one copy to WAT ov/waterwell/index.html.	ER WELL OWNER and	retain one for ye	our records. I netude	iee of 55.00 for each c	onstructed well. Vi sit us at	
KSA 82a					Check: 🗸	White Copy, B	lue Copy, Pink Copy	

47,945