

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number	Range Number
County:	SUMNER	NW ¼ SW ¼ SW ¼	2		T 30 S	R 4 W E(W)

Distance and direction from nearest town or city street address of well if located within city?

$\frac{1}{4}$ East of Suppesville, KS. North side of K-42 Hwy.

2] WATER WELL OWNER:	Robert Casner	
RR#, St. Address, Box # :	Milton, KS.	Board of Agriculture, Division of Water Resources
City, State, ZIP Code :		Application Number:

3	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4	DEPTH OF COMPLETED WELL..... 50 ft. ELEVATION:
---	--	---	--

Depth(s) Groundwater Encountered 1. 15 ft. 2. 15 ft. 3. 15 ft.

WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr 7-24-86

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter. 11 in. to ft., and in. to ft.

WELL WATER TO BE USED AS:

<u>1 Domestic</u>	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
2 Irrigation	4 Industrial	7 Lawn and garden only	10 Observation well	

Was a chemical/bacteriological sample submitted to Department? Yes.....No. XX; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes XX No

5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued . <u>XX</u> . Clamped
1 Steel	<u>3 RMP (SR)</u>	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	4 ABS	7 Fiberglass	<u>Cer-Mac styrene SDR-26</u>	Threaded
Blank casing diameter 5 in. to 31 ft., Dia in. to ft., Dia in. to ft.				
Casing height above land surface 12 in. weight 1.59 lbs./ft. Wall thickness or gauge No. 203				

TYPE OF SCREEN OR PERFORATION MATERIAL:			7 PVC	10 Asbestos-cement
1 Steel	3 Stainless steel	5 Fiberglass	<u>8 RMP (SR)</u>	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 <u>Saw cut</u>	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS:		From 31 ft. to 50 ft.,	From ft. to ft.
		From 14 ft. to 50 ft.,	From ft. to ft.
GRAVEL PACK INTERVALS:		From 14 ft. to 50 ft.,	From ft. to ft.
		From ft. to ft.,	From ft. to ft.

6 GROUT MATERIAL:		1 Neat cement	2 <u>Cement grout</u>	3 Bentonite	4 Other
Grout Intervals:	From	4	ft. to	14	ft.
	From		ft. to		ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
<u>2 Sewer lines</u>	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	

Direction from well	How many feet?	75
---------------------	----------------	----

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7-24-86 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 3-9-87 under the business name of Harp Well & Pump Service, Inc. by (signature) *Marv Arnold*.

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.