LOCAT	TION OF WA	TER WELL.	FRACTION	Water Well Record	Form WWC-5	KSA 82a-1212	Town Alle Mount	I Parry Number
لنا			l l	CD		Section Number	Township Number	Range Number
Sumner Distance and direction from nearest town or city			NW 1/4	SE 1/4 NV	1/4	4	T 30 s	R 4W E/W
Distance and direction frem nearest town or city street address of well if located within city?								
Lot #16 Reserve C Bryce Dr. Suppesville Golf Course Milton, KS.								
WATER WELL OWNER: NEWSOME, Mike R#4, ST. ADRESS, BOX #: R #1 Board of Agriculture, Divivision of Water Resource								
	STATE, ZIP	- v v						
		OCATION WITH	ton, Kansas		90		Application Number	yr:
- LOCAL	IN SECTION		Depth(s) groundw	APLETED WELL	90 1	ft. ELE ft.	VATION: 2 ft.	3 ft.
l t		-\frac{1}{2}	WELL'S STATIC W		_		FACE MEASURED ON mo/day/yr	3 ft. 01/19/1994
1 1			Pump test				_	
('	NW	NE	Est. Yield	gpm: Well wa			after hours pun after hours pun	. 6
l ii w			Bore Hole Diameter	12 in. to		ft.	and in.	to ft.
ĭ w		I.	WELL WATER TO		Public water		_	njection well
١.	<u> </u>	972	1 Domestic		Oil field wat			Other (Specify below)
	SW		2 Irrigation	4 Industrial 7	Lawn and ga	arden only 1	0 Monitoring well	
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes X No								
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped								
1 Stee	l	3 RMP (SR)		6 Asbestos-Cement	9	Other (Specify be	elow)	Velded
2 PVC	:	4 ABS		7 Fiberglass	SI	DR-26	1	Threaded
Blank casing Diameter 5 in. to 25 ft., Dia in. to ft., Dia in. to ft.								
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214								
1		N OR PERFORA	TION MATERIAL:			PVC	10 Asbestos-cem	
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)								y)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)								pen hole)
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (c								11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped						9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATION INTERVALS: from 25 ft. to 90 ft., From ft. to ft.								
from					ft. to ft., From		ft. to	ft.
GRAVEL PACK INTERVALS: from 24				ft. to 90		ft., Fron	ft. to	ft.
<u> </u>			from	ft. (ft., Fron		<u>ft.</u>
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From 4 ft. to 24				ft. From	ft. From ft. to 10 Livestock p		ft. From	ft. to ft.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel st		Abandon water well	
				8 Sewage lagoon			-	Oil well/Gas well Other (speeds; below)
o cess poor						12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage		
5 waterught sewer lines 6 Seepage pit 9 reedyard								
FROM			LITHOLOGIC LOG	· ·	FROM	How many feet? 32 TO PLUGGING INTERVALS		
0	3	topsoil		····	1	 	I DOGGING INTE	
3	6	clay						
6	11	fine sam	nd		1			
11	90	red sha						
							24.00	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and								
was completed on (mo/day/year)								
Well Contractor's License No236								
Under the business name of Harp Well & Pump by (signature)								
							Yane d	Frederick