1 LOCATION OF WATER WELL:	FRACTION	Water Well Record		KSA 82a-1212 Section Number	Tamaki Namb	Range Number	
		CP ***		_	Township Number	ATT	
Sumner Distance and direction from peacest town or	NW 1/4	SE 1/4 NV	1/4	4	т 30 в	R 4W E/W	
Distance and direction frem nearest town or city street address of well if located within city? 1/2 N. of K-42, 3/8 E. of Milton, Kansas							
		Milton, Ka	insas				
	LCH, Greg Box 36				Board of Agriculture, I	ivivsion of Water Resource	
	BOX 36 lton, Kansas			67106	Application Number		
3 LOCATE WELL'S LOCATION WITH	4 DEPTH OF COM		82		EVATION:		
AN "X" IN SECTION BOX:	Depth(s) groundwa		1	ft.	2 ft.	3 ft.	
	WELL'S STATIC W				RFACE MEASURED ON mo/day/yr	08/23/1993	
	Pump test		iter was	ft.	after hours pun	· · ·	
, NW.	Est. Yield		ater was		after hours pun	• •	
w w	Bore Hole Diameter		o 82	ft.,	and in.	to ft.	
= "	WELL WATER TO		Public water s	supply	8 Air conditioning 11	Injection well	
SE SE	1 Domestic	3 Feedlot 6	Oil field water	r supply	9 Dewatering 12	Other (Specify below)	
SW ST	2 Irrigation	4 Industrial 7	Lawn and gar	rden only 1	10 Monitoring well		
↓	Was a chemical/bacte	riological sample sub	mitted to Depa	artment? Yes	No X; If yes, r	no/day/yr sample was	
S submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped							
1 Steel 3 RMP (SR	6 Asbestos-Cement	90	ther (Specify b		Welded		
2 PVC 4 ABS		7 Fiberglass	SD	R-26	•	Threaded	
Blank casing Diameter 5	in. to 23	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface		weight 2.			Wall thickness or gauge No. 10 Asbestos-cem	.214	
TYPE OF SCREEN OR PERFORM 1 Steel 3 Stainless Ste		5 Fiberglass		EVC RMP (SR)	11 other (specif		
2 Brass 4 Galvanized s		6 Concrete tile		ABS	12 None used (o	•	
				ш	8 Saw cut	11 None (open hole)	
SCREEN ON PERFORATION OF ENTING ARE: SGAUZED WRAPPED						11 None (open note)	
2 Villa stot							
Fortieta							
SCREEN-PERFORATION INTE	20		to 82	ft., Fron		ft.	
GRAVEL PACK INTERVALS: from 24		ft. to ft. to 82		ft., Fron ft., Fron		ft.	
GRAVEL FACK INTI	from	t it.		ft., From			
6 GROUT MATERIAL: 1 No		Cement grout	3 Bent		4 Other		
Grout Intervals: From 3	ft. to 23	ft., From	ft. to		ft., From	ft. to ft.	
What is the nearest source of possible contamination:		ia, riom	16. 00	10 Livesto		Abandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel st	torage 15	Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoo	n		izer storage 16	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent							
Direction from well?					How many feet?		
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS							
0 3 topsoi	1				SEPTIC SYSTEM	NOT INSTALLED	
3 7 clay					AT THIS TIME		
7 10 fine s							
10 82 red sh	ale					A STATE OF THE STA	
				1			
	- · · · · · · · · · · · · · · · · · · ·			1			

			1	 			
			- 1				
7 CONTRACTOR'S OR LANDON					4.4.70		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)							
was completed on (mo/day/ye Well Contractor's License No							
Under the business name of	Harp Well &	Pump Servi	coru was co	riipieted on (n .C hv /eig	4 .		
Under the business name of Harp Well & Pump Service, Inc. by (signature) 853 Frederick							
853							