1 LOCATION OF WA	TED WELL.	FRACTION		Water Well Reco	ord Form WWC-:	ľ		D 27 -
느 _		İ				Section Number	Township Number	Range Number
Sumne		NE	1/4 SW	1/4	NW 1/4	4	т 30 в	R 4W E/W
Distance and direction frem nearest town or city street address of well if located within city?								
3/4 N. of K-42, 1/4 E. of Suppesville, Kansas								
2 WATER WELL OWNER: ALLEN, Don								
RRM, ST. ADRESS, BOX#: 999 Silver Springs Blvd. Apt. #2405 Board of Agriculture, Divivsion of Water Resource								
CITY, STATE, ZIP		ta, Ka					Application Number:	
3 LOCATE WELL'S L	OCATION WITH 4			TED WELL	80	ft. EI	LEVATION:	
AN "X" IN SECTION	N BOX:	Depth(s) gro	undwater E	ncountered	1	ft.	2 ft.	3 ft.
	V	IC WATER	LEVEL 1	l 1 F	. BELOW LAND S	SURFACE MEASURED ON mo/day/yr	01/07/1994	
	NE	Pun	ıp test data:	Well	water was	ft.	after hours pun	ıping gpm
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		st. Yield	gpn	n: Wel	l water was	ft.	after hours pun	rping gpm
ğ w	Be Be	ore Hole Diam	eter 1	2 in.	to 80	ft.	and in.	to ft.
 € "	L w	VELL WATER			5 Public wate		8 Air conditioning 11	injection well
.		1 Domestic		edlot	6 Oil field w		•	Other (Specify below)
SW		2 Irrigation						
	l l l			ical samnle	submitted to D	enartment? Ves		no/day/yr sample was
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \								
TUBE OF GASING HOED								
3 Wiought non Scottete the State of the A Champer								
y Gullet (GPCSH) Collection							rveided Threaded	
2 PVC	4 ABS			•	-	DR-26		
Blank casing Diam	_	n. to 25		-	in		ft., Dia in.	to ft.
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214								
Figure 1								
1 Steel	3 Stainless Steel					9 ABS	`•	*
2 Brass 4 Galvanized steel 6 Concrete tile						y ADS	12 None used (o 8 Saw cut	•
l					5 Gauzed wrapped			11 None (open hole)
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes								
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATION INTERVALS: from 25 ft. to 80 ft., From ft. to ft.								
from			1		ft. to	ft., Fro	om ft. to	ft.
GRAVEL PACK INTERVALS: from 24			24	ft. to 80		ft., Fr	rom ft. to	ft.
from					ft. to	ft., Fr	om ft. to	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From 4 ft. to 24				ft. From ft. to			ft. From	ft. to ft.
What is the nearest source of possible contamination:								Abandon water well
1 Septic tank 4 Lateral lines				7 Pit privy				Oil well/Gas well
2 Sewer lines 5 Cess pool							ertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								
Direction from well? North How many feet? 30								
FROM TO	L	ITHOLOGIC	LOG		FROM	ТО	PLUGGING INT	ERVALS
0 3	topsoil							
3 7	clay							
7 12	fine sand	1						
12 13.5								
13.5 21	fine sand							
21 80	red shale							
				······································				
	1							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was (1) constructed (2) reconstructed or (3) plugged under my jurisdiction and								
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)								
Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr)								
lane Frederick								
1							*wim c	, www.uuru