					Water Wel	Record	Form WWC-5				
1 LOCATIO	ON OF WATER	WELL:	F	RACTION				Section Number	Township Number	Range Number	
s	umner			1/4	1/4	S	E 1/4	17	т 30 в	R 4W E/W	
Distance and direction frem nearest town or city street address of well if located within city?											
N 1	00 ft	of lot	1 2	.3.4.	Block	4	W4 1+	on, Kan	696		
	R WELL OWN						MIIC	ou, Kall	<u> </u>		
			•	e and	Rebecca	2			Roard of A order House	Divivsion of Water Resource	
	ADRESS, BOX			77							
	TATE, ZIP COI			Kansas					Application Num	ber:	
	WELL'S LOCA N SECTION BO				APLETED WI		63		LEVATION:		
AN "X" IN	SECTION BO		Dept	h(s) groundw	ater Encounte	red	1	ft.	2 ft.	3 ft.	
П Г			WELL	S STATIC W	ATER LEVE	ւ 20	FT	. BELOW LAND	SURFACE MEASURED ON mo/day/yr	03/26/1993	
	NW	NE		Pump test	t data:	Well w	ater was	ft.	after hours pu	mping gpm	
l [Est. Yie	eld	gpm:	Well w	vater was	ft.	after hours pu		
lL		T.	Bore Ho	le Diameter		in.	to 63	ft.,	and in		
l wh		E	1		BE USED AS:		Public wate			Injection well	
,				omestic	3 Feedlot		6 Oil field wa		•	Other (Specify below)	
TAME	sw	·· *			4 Industrial				10 Monitoring well	Carrier (areas)	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was											
submitted water wen Disintected? Yes X No											
5 Widght Ion 6 Constitution								CASING JOINTS:	Glued X Clamped		
1 Steel			6 Asbestos-Cement			Other (Specif	y below)	Welded			
2 PVC		4 ABS			7 Fiberglas	s	S	DR-26		Threaded	
Blank casi	ng Diamete	r 5	in.	to 43	ft., I)ia	in		ft., Dia in.	to ft.	
		•		in.,	-		2.35	lbs. / ft.	Wall thickness or gauge No.	.214	
Casing height above land surface 14 in., weight 2.35 lbs./ft. Wall thickness or gauge No214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement											
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)											
2 Brass		Galvanized ste	el		6 Concrete t	ile		9 ABS	`•	• 7	
2 Diaso 4 Charles and Copies and										11 None (open hole)	
				AKE:			ed wrapped		9 Drilled holes	11 None (open noie)	
1 Contino		3 Mill si			(wire '	wrapped				
2 Louvere	ed shutter	4 Key p	unched		7	Torch	cut		10 Other (specify)		
SCREEN-PERFORATION INTERVALS: from 43 ft. to 63 ft., From ft. to ft.											
				from			to	ft., Fı			
GRAVEL PACK INTERVALS:				from 24 ft. to 63			ft., F				
1				from				•			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
Count Internal Day of the County of the Coun											
What is the nearest source of possible conta						ft.	to 10 Live	ft., From estock pens 1.	ft. to ft.		
1 Septic tank 4 Lateral								• .	14 Abandon water well		
							on			15 Oil well/Gas well	
2 Sewer lines 5 Cess pool					8 Sewage lagoon				tmzer storage 1 ecticide storage	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage											
	form well?	West							How many feet? 100		
FROM	ТО		LITHO	LOGIC LOG			FROM	ТО	PLUGGING INT	ERVALS	
0 2		copsoil									
		clay									
20 3	35 1	fine sam	nd	.,							
35	53 n	nedium	grade	e sand							
		olue sh									
										4444444	
										A A A A A A A A A A A A A A A A A A A	
				·							
7 CONT	TRACTOR'	S OR LANDOWNI	ER'S CERT	IFICATION: Th	nis water well	was (1) <u>construc</u>	ted, (2) recon	structed, or (3) plugged unde	r my jurisdiction and	
1			226			-			the best of my knowledge a	20/02	
Well Co	ntractor's	License No	4.3.0		This Water	Well R	ecord was	completed on	(mo/day/yr)Q4./	.3U/.33	
Under the business name of Harp Well & Pump Service. Inc. by (signature)											
389											